

### State Data Pages

The National Survey of Children with Special Health Care Needs provides information on CSHCN in the 50 States and the District of Columbia. This section presents the survey's findings for each state and D.C., including indicators of the prevalence of special needs among children; the percentage of CSHCN whose care meets each of the MCHB's six Core System Outcomes and their components; and indicators of the impact of the care of CSHCN on their families.

The indicators of prevalence show the parent-reported percentage of children who have special health care needs by age, sex, income level in relation to the Federal poverty guidelines, and race and ethnicity. For most States, however, prevalence is shown only among non-Hispanic White, non-Hispanic Black, and Hispanic children. For smaller racial/ethnic groups, data have been suppressed in most States to protect the confidentiality of the respondents. The exceptions are States with significant populations of Asian Americans, Native American/Alaska Natives, or Native Hawaiians or other Pacific Islanders.

The Core Outcomes and their components, as well as the indicators of family impact, are shown for each jurisdiction in comparison with the national statistics presented earlier in this book.



# Alabama

Estimated number of CSHCN: 200,367

All statistics are based on parental reports

Prevalence of CSHCN	State %	National %
Percent of children who have special health care needs	<b>17.8</b>	15.1
<b>Age</b>		
0–5 years	<b>13.2</b>	9.3
6–11 years	<b>20.7</b>	17.7
12–17 years	<b>19.5</b>	18.4
<b>Sex</b>		
Male	<b>20.3</b>	17.4
Female	<b>15.2</b>	12.7
<b>Poverty Level</b>		
0–99% FPL	<b>17.8</b>	16.0
100–199% FPL	<b>21.7</b>	15.4
200–399% FPL	<b>17.8</b>	14.5
400% FPL or more	<b>15.4</b>	14.7
<b>Hispanic Origin and Race</b>		
Non-Hispanic	<b>18.1</b>	16.2
White	<b>17.1</b>	16.3
Black	<b>20.6</b>	17.5
Asian	*	8.0
American Indian/Alaska Native	*	13.5
Native Hawaiian/Pacific Islander	*	12.3
Multiple races	*	17.9
Hispanic	<b>13.1</b>	11.2
Spanish language household	*	8.2
English language household	<b>25.9</b>	14.4

*\*Due to the small size of this group in the State population, data have been suppressed to protect respondents' confidentiality.*

Indicator	State %	National %
<b>Child Health</b>		
CSHCN whose conditions consistently affect their activities, often a great deal	<b>22.7</b>	27.1
CSHCN with 11 or more days of school absences due to illness	<b>15.2</b>	15.5
<b>Core System Outcomes</b>		
CSHCN whose families partner in decision making regarding their child's health	<b>74.0</b>	70.3
CSHCN receive coordinated, ongoing, comprehensive care within a medical home	<b>50.7</b>	43.0
CSHCN with a usual source of care when sick	<b>93.8</b>	90.5
CSHCN with a personal doctor or nurse	<b>90.4</b>	93.1
CSHCN who receive family-centered care	<b>65.8</b>	64.6
Families of CSHCN have adequate private and/or public insurance to pay for the needed services	<b>64.7</b>	60.6
CSHCN with insurance for the entire past year	<b>91.8</b>	90.7
Currently insured CSHCN whose insurance is adequate	<b>69.9</b>	65.7
Children are screened early and continuously for special health care needs	<b>75.8</b>	78.6
Community-based services are organized so families can use them easily	<b>73.5</b>	65.1
CSHCN whose families had no difficulties or delays receiving services	<b>74.5</b>	65.9
CSHCN whose families are sometimes or never frustrated in obtaining services	<b>93.0</b>	90.2
Youth with special health care needs receive the services necessary to make transitions to adult health care	<b>34.8</b>	40.0
<b>Impact on the Family</b>		
CSHCN whose families pay \$1,000 or more out of pocket in medical expenses per year for the child	<b>15.2</b>	22.1
CSHCN whose conditions cause financial problems for the family	<b>19.0</b>	21.6
CSHCN whose families spend 11 or more hours per week providing or coordinating the child's health care	<b>15.1</b>	13.1
CSHCN whose conditions cause family members to cut back or stop working	<b>21.4</b>	25.0
CSHCN whose parents avoided changing jobs to maintain their child's health insurance	<b>13.5</b>	17.7

# Alaska

Estimated number of CSHCN: 19,916

All statistics are based on parental reports

Prevalence of CSHCN	State %	National %
Percent of children who have special health care needs	<b>10.9</b>	15.1
<b>Age</b>		
0–5 years	<b>5.0</b>	9.3
6–11 years	<b>12.9</b>	17.7
12–17 years	<b>14.6</b>	18.4
<b>Sex</b>		
Male	<b>12.7</b>	17.4
Female	<b>8.8</b>	12.7
<b>Poverty Level</b>		
0–99% FPL	<b>10.9</b>	16.0
100–199% FPL	<b>9.1</b>	15.4
200–399% FPL	<b>10.4</b>	14.5
400% FPL or more	<b>11.5</b>	14.7
<b>Hispanic Origin and Race</b>		
Non-Hispanic	<b>11.0</b>	16.2
White	<b>11.9</b>	16.3
Black	<b>12.0</b>	17.5
Asian	*	8.0
American Indian/Alaska Native	<b>7.4</b>	13.5
Native Hawaiian/Pacific Islander	*	12.3
Multiple races	*	17.9
Hispanic	<b>9.4</b>	11.2
Spanish language household	*	8.2
English language household	<b>10.9</b>	14.4

*\*Due to the small size of this group in the State population, data have been suppressed to protect respondents' confidentiality.*

Indicator	State %	National %
<b>Child Health</b>		
CSHCN whose conditions consistently affect their activities, often a great deal	<b>25.9</b>	27.1
CSHCN with 11 or more days of school absences due to illness	<b>17.9</b>	15.5
<b>Core System Outcomes</b>		
CSHCN whose families partner in decision making regarding their child's health	<b>66.8</b>	70.3
CSHCN receive coordinated, ongoing, comprehensive care within a medical home	<b>42.8</b>	43.0
CSHCN with a usual source of care when sick	<b>89.5</b>	90.5
CSHCN with a personal doctor or nurse	<b>93.2</b>	93.1
CSHCN who receive family-centered care	<b>62.4</b>	64.6
Families of CSHCN have adequate private and/or public insurance to pay for the needed services	<b>56.7</b>	60.6
CSHCN with insurance for the entire past year	<b>89.5</b>	90.7
Currently insured CSHCN whose insurance is adequate	<b>61.3</b>	65.7
Children are screened early and continuously for special health care needs	<b>75.3</b>	78.6
Community-based services are organized so families can use them easily	<b>55.2</b>	65.1
CSHCN whose families had no difficulties or delays receiving services	<b>55.5</b>	65.9
CSHCN whose families are sometimes or never frustrated in obtaining services	<b>88.4</b>	90.2
Youth with special health care needs receive the services necessary to make transitions to adult health care	<b>45.0</b>	40.0
<b>Impact on the Family</b>		
CSHCN whose families pay \$1,000 or more out of pocket in medical expenses per year for the child	<b>26.7</b>	22.1
CSHCN whose conditions cause financial problems for the family	<b>23.6</b>	21.6
CSHCN whose families spend 11 or more hours per week providing or coordinating the child's health care	<b>12.0</b>	13.1
CSHCN whose conditions cause family members to cut back or stop working	<b>27.3</b>	25.0
CSHCN whose parents avoided changing jobs to maintain their child's health insurance	<b>24.7</b>	17.7

# Arizona

Estimated number of CSHCN: 241,067

All statistics are based on parental reports

Prevalence of CSHCN	State %	National %
Percent of children who have special health care needs	<b>13.9</b>	15.1
<b>Age</b>		
0–5 years	<b>7.6</b>	9.3
6–11 years	<b>17.6</b>	17.7
12–17 years	<b>17.4</b>	18.4
<b>Sex</b>		
Male	<b>16.1</b>	17.4
Female	<b>11.8</b>	12.7
<b>Poverty Level</b>		
0–99% FPL	<b>13.9</b>	16.0
100–199% FPL	<b>13.0</b>	15.4
200–399% FPL	<b>14.2</b>	14.5
400% FPL or more	<b>14.2</b>	14.7
<b>Hispanic Origin and Race</b>		
Non-Hispanic	<b>16.1</b>	16.2
White	<b>15.9</b>	16.3
Black	<b>25.3</b>	17.5
Asian	*	8.0
American Indian/Alaska Native	<b>13.0</b>	13.5
Native Hawaiian/Pacific Islander	*	12.3
Multiple races	*	17.9
Hispanic	<b>11.0</b>	11.2
Spanish language household	<b>7.9</b>	8.2
English language household	<b>13.6</b>	14.4

*\*Due to the small size of this group in the State population, data have been suppressed to protect respondents' confidentiality.*

Indicator	State %	National %
<b>Child Health</b>		
CSHCN whose conditions consistently affect their activities, often a great deal	<b>30.1</b>	27.1
CSHCN with 11 or more days of school absences due to illness	<b>18.8</b>	15.5
<b>Core System Outcomes</b>		
CSHCN whose families partner in decision making regarding their child's health	<b>66.2</b>	70.3
CSHCN receive coordinated, ongoing, comprehensive care within a medical home	<b>36.1</b>	43.0
CSHCN with a usual source of care when sick	<b>85.3</b>	90.5
CSHCN with a personal doctor or nurse	<b>92.4</b>	93.1
CSHCN who receive family-centered care	<b>61.3</b>	64.6
Families of CSHCN have adequate private and/or public insurance to pay for the needed services	<b>52.9</b>	60.6
CSHCN with insurance for the entire past year	<b>85.8</b>	90.7
Currently insured CSHCN whose insurance is adequate	<b>60.8</b>	65.7
Children are screened early and continuously for special health care needs	<b>78.7</b>	78.6
Community-based services are organized so families can use them easily	<b>59.7</b>	65.1
CSHCN whose families had no difficulties or delays receiving services	<b>60.9</b>	65.9
CSHCN whose families are sometimes or never frustrated in obtaining services	<b>86.8</b>	90.2
Youth with special health care needs receive the services necessary to make transitions to adult health care	<b>35.6</b>	40.0
<b>Impact on the Family</b>		
CSHCN whose families pay \$1,000 or more out of pocket in medical expenses per year for the child	<b>24.8</b>	22.1
CSHCN whose conditions cause financial problems for the family	<b>24.3</b>	21.6
CSHCN whose families spend 11 or more hours per week providing or coordinating the child's health care	<b>12.6</b>	13.1
CSHCN whose conditions cause family members to cut back or stop working	<b>26.4</b>	25.0
CSHCN whose parents avoided changing jobs to maintain their child's health insurance	<b>18.6</b>	17.7

# Arkansas

Estimated number of CSHCN: 139,580

All statistics are based on parental reports

Prevalence of CSHCN	State %	National %
Percent of children who have special health care needs	<b>19.8</b>	15.1
<b>Age</b>		
0–5 years	<b>12.3</b>	9.3
6–11 years	<b>27.1</b>	17.7
12–17 years	<b>20.3</b>	18.4
<b>Sex</b>		
Male	<b>21.3</b>	17.4
Female	<b>18.2</b>	12.7
<b>Poverty Level</b>		
0–99% FPL	<b>19.8</b>	16.0
100–199% FPL	<b>26.3</b>	15.4
200–399% FPL	<b>18.3</b>	14.5
400% FPL or more	<b>17.5</b>	14.7
<b>Hispanic Origin and Race</b>		
Non-Hispanic	<b>20.5</b>	16.2
White	<b>18.6</b>	16.3
Black	<b>25.6</b>	17.5
Asian	*	8.0
American Indian/Alaska Native	*	13.5
Native Hawaiian/Pacific Islander	*	12.3
Multiple races	*	17.9
Hispanic	<b>13.6</b>	11.2
Spanish language household	<b>8.9</b>	8.2
English language household	<b>22.3</b>	14.4

*\*Due to the small size of this group in the State population, data have been suppressed to protect respondents' confidentiality.*

Indicator	State %	National %
<b>Child Health</b>		
CSHCN whose conditions consistently affect their activities, often a great deal	<b>32.5</b>	27.1
CSHCN with 11 or more days of school absences due to illness	<b>17.9</b>	15.5
<b>Core System Outcomes</b>		
CSHCN whose families partner in decision making regarding their child's health	<b>67.8</b>	70.3
CSHCN receive coordinated, ongoing, comprehensive care within a medical home	<b>43.9</b>	43.0
CSHCN with a usual source of care when sick	<b>88.9</b>	90.5
CSHCN with a personal doctor or nurse	<b>89.6</b>	93.1
CSHCN who receive family-centered care	<b>61.3</b>	64.6
Families of CSHCN have adequate private and/or public insurance to pay for the needed services	<b>59.1</b>	60.6
CSHCN with insurance for the entire past year	<b>91.8</b>	90.7
Currently insured CSHCN whose insurance is adequate	<b>63.7</b>	65.7
Children are screened early and continuously for special health care needs	<b>71.5</b>	78.6
Community-based services are organized so families can use them easily	<b>59.1</b>	65.1
CSHCN whose families had no difficulties or delays receiving services	<b>61.5</b>	65.9
CSHCN whose families are sometimes or never frustrated in obtaining services	<b>86.6</b>	90.2
Youth with special health care needs receive the services necessary to make transitions to adult health care	<b>32.4</b>	40.0
<b>Impact on the Family</b>		
CSHCN whose families pay \$1,000 or more out of pocket in medical expenses per year for the child	<b>16.9</b>	22.1
CSHCN whose conditions cause financial problems for the family	<b>21.2</b>	21.6
CSHCN whose families spend 11 or more hours per week providing or coordinating the child's health care	<b>15.8</b>	13.1
CSHCN whose conditions cause family members to cut back or stop working	<b>25.5</b>	25.0
CSHCN whose parents avoided changing jobs to maintain their child's health insurance	<b>16.0</b>	17.7

# California

Estimated number of CSHCN: 997,157

All statistics are based on parental reports

Prevalence of CSHCN	State %	National %
Percent of children who have special health care needs	<b>10.6</b>	15.1
<b>Age</b>		
0–5 years	<b>6.4</b>	9.3
6–11 years	<b>12.5</b>	17.7
12–17 years	<b>13.1</b>	18.4
<b>Sex</b>		
Male	<b>12.9</b>	17.4
Female	<b>8.2</b>	12.7
<b>Poverty Level</b>		
0–99% FPL	<b>10.6</b>	16.0
100–199% FPL	<b>8.5</b>	15.4
200–399% FPL	<b>8.4</b>	14.5
400% FPL or more	<b>12.3</b>	14.7
<b>Hispanic Origin and Race</b>		
Non-Hispanic	<b>12.1</b>	16.2
White	<b>12.8</b>	16.3
Black	<b>15.7</b>	17.5
Asian	<b>6.7</b>	8.0
American Indian/Alaska Native	*	13.5
Native Hawaiian/Pacific Islander	*	12.3
Multiple races	*	17.9
Hispanic	<b>9.1</b>	11.2
Spanish language household	<b>7.5</b>	8.2
English language household	<b>10.8</b>	14.4

*\*Due to the small size of this group in the State population, data have been suppressed to protect respondents' confidentiality.*

Indicator	State %	National %
<b>Child Health</b>		
CSHCN whose conditions consistently affect their activities, often a great deal	<b>29.2</b>	27.1
CSHCN with 11 or more days of school absences due to illness	<b>12.5</b>	15.5
<b>Core System Outcomes</b>		
CSHCN whose families partner in decision making regarding their child's health	<b>61.8</b>	70.3
CSHCN receive coordinated, ongoing, comprehensive care within a medical home	<b>38.3</b>	43.0
CSHCN with a usual source of care when sick	<b>90.5</b>	90.5
CSHCN with a personal doctor or nurse	<b>94.1</b>	93.1
CSHCN who receive family-centered care	<b>61.2</b>	64.6
Families of CSHCN have adequate private and/or public insurance to pay for the needed services	<b>59.1</b>	60.6
CSHCN with insurance for the entire past year	<b>91.7</b>	90.7
Currently insured CSHCN whose insurance is adequate	<b>62.8</b>	65.7
Children are screened early and continuously for special health care needs	<b>77.5</b>	78.6
Community-based services are organized so families can use them easily	<b>64.8</b>	65.1
CSHCN whose families had no difficulties or delays receiving services	<b>65.5</b>	65.9
CSHCN whose families are sometimes or never frustrated in obtaining services	<b>88.0</b>	90.2
Youth with special health care needs receive the services necessary to make transitions to adult health care	<b>37.4</b>	40.0
<b>Impact on the Family</b>		
CSHCN whose families pay \$1,000 or more out of pocket in medical expenses per year for the child	<b>21.8</b>	22.1
CSHCN whose conditions cause financial problems for the family	<b>24.2</b>	21.6
CSHCN whose families spend 11 or more hours per week providing or coordinating the child's health care	<b>16.3</b>	13.1
CSHCN whose conditions cause family members to cut back or stop working	<b>29.4</b>	25.0
CSHCN whose parents avoided changing jobs to maintain their child's health insurance	<b>22.0</b>	17.7



# Colorado

Estimated number of CSHCN: 167,524

All statistics are based on parental reports

Prevalence of CSHCN	State %	National %
Percent of children who have special health care needs	<b>13.7</b>	15.1
<b>Age</b>		
0–5 years	<b>7.3</b>	9.3
6–11 years	<b>16.1</b>	17.7
12–17 years	<b>18.3</b>	18.4
<b>Sex</b>		
Male	<b>14.9</b>	17.4
Female	<b>12.5</b>	12.7
<b>Poverty Level</b>		
0–99% FPL	<b>13.7</b>	16.0
100–199% FPL	<b>12.0</b>	15.4
200–399% FPL	<b>11.4</b>	14.5
400% FPL or more	<b>15.2</b>	14.7
<b>Hispanic Origin and Race</b>		
Non-Hispanic	<b>15.1</b>	16.2
White	<b>14.8</b>	16.3
Black	<b>14.7</b>	17.5
Asian	*	8.0
American Indian/Alaska Native	*	13.5
Native Hawaiian/Pacific Islander	*	12.3
Multiple races	*	17.9
Hispanic	<b>10.3</b>	11.2
Spanish language household	<b>7.1</b>	8.2
English language household	<b>12.8</b>	14.4

*\*Due to the small size of this group in the State population, data have been suppressed to protect respondents' confidentiality.*

Indicator	State %	National %
<b>Child Health</b>		
CSHCN whose conditions consistently affect their activities, often a great deal	<b>26.1</b>	27.1
CSHCN with 11 or more days of school absences due to illness	<b>17.7</b>	15.5
<b>Core System Outcomes</b>		
CSHCN whose families partner in decision making regarding their child's health	<b>66.5</b>	70.3
CSHCN receive coordinated, ongoing, comprehensive care within a medical home	<b>43.7</b>	43.0
CSHCN with a usual source of care when sick	<b>89.6</b>	90.5
CSHCN with a personal doctor or nurse	<b>91.4</b>	93.1
CSHCN who receive family-centered care	<b>66.5</b>	64.6
Families of CSHCN have adequate private and/or public insurance to pay for the needed services	<b>49.9</b>	60.6
CSHCN with insurance for the entire past year	<b>89.4</b>	90.7
Currently insured CSHCN whose insurance is adequate	<b>55.2</b>	65.7
Children are screened early and continuously for special health care needs	<b>81.7</b>	78.6
Community-based services are organized so families can use them easily	<b>60.1</b>	65.1
CSHCN whose families had no difficulties or delays receiving services	<b>61.1</b>	65.9
CSHCN whose families are sometimes or never frustrated in obtaining services	<b>87.9</b>	90.2
Youth with special health care needs receive the services necessary to make transitions to adult health care	<b>42.1</b>	40.0
<b>Impact on the Family</b>		
CSHCN whose families pay \$1,000 or more out of pocket in medical expenses per year for the child	<b>30.3</b>	22.1
CSHCN whose conditions cause financial problems for the family	<b>29.2</b>	21.6
CSHCN whose families spend 11 or more hours per week providing or coordinating the child's health care	<b>11.0</b>	13.1
CSHCN whose conditions cause family members to cut back or stop working	<b>25.9</b>	25.0
CSHCN whose parents avoided changing jobs to maintain their child's health insurance	<b>22.4</b>	17.7

# Connecticut

Estimated number of CSHCN: 139,453

All statistics are based on parental reports

Prevalence of CSHCN	State %	National %
Percent of children who have special health care needs	<b>17.3</b>	15.1
<b>Age</b>		
0–5 years	<b>9.9</b>	9.3
6–11 years	<b>17.9</b>	17.7
12–17 years	<b>23.1</b>	18.4
<b>Sex</b>		
Male	<b>20.8</b>	17.4
Female	<b>13.7</b>	12.7
<b>Poverty Level</b>		
0–99% FPL	<b>17.3</b>	16.0
100–199% FPL	<b>21.1</b>	15.4
200–399% FPL	<b>16.1</b>	14.5
400% FPL or more	<b>16.8</b>	14.7
<b>Hispanic Origin and Race</b>		
Non-Hispanic	<b>17.4</b>	16.2
White	<b>18.0</b>	16.3
Black	<b>15.4</b>	17.5
Asian	*	8.0
American Indian/Alaska Native	*	13.5
Native Hawaiian/Pacific Islander	*	12.3
Multiple races	*	17.9
Hispanic	<b>16.8</b>	11.2
Spanish language household	<b>11.4</b>	8.2
English language household	<b>20.6</b>	14.4

*\*Due to the small size of this group in the State population, data have been suppressed to protect respondents' confidentiality.*

Indicator	State %	National %
<b>Child Health</b>		
CSHCN whose conditions consistently affect their activities, often a great deal	<b>29.0</b>	27.1
CSHCN with 11 or more days of school absences due to illness	<b>16.4</b>	15.5
<b>Core System Outcomes</b>		
CSHCN whose families partner in decision making regarding their child's health	<b>70.4</b>	70.3
CSHCN receive coordinated, ongoing, comprehensive care within a medical home	<b>46.0</b>	43.0
CSHCN with a usual source of care when sick	<b>94.0</b>	90.5
CSHCN with a personal doctor or nurse	<b>94.6</b>	93.1
CSHCN who receive family-centered care	<b>67.4</b>	64.6
Families of CSHCN have adequate private and/or public insurance to pay for the needed services	<b>59.6</b>	60.6
CSHCN with insurance for the entire past year	<b>95.1</b>	90.7
Currently insured CSHCN whose insurance is adequate	<b>61.5</b>	65.7
Children are screened early and continuously for special health care needs	<b>87.1</b>	78.6
Community-based services are organized so families can use them easily	<b>66.8</b>	65.1
CSHCN whose families had no difficulties or delays receiving services	<b>66.9</b>	65.9
CSHCN whose families are sometimes or never frustrated in obtaining services	<b>88.6</b>	90.2
Youth with special health care needs receive the services necessary to make transitions to adult health care	<b>46.0</b>	40.0
<b>Impact on the Family</b>		
CSHCN whose families pay \$1,000 or more out of pocket in medical expenses per year for the child	<b>24.6</b>	22.1
CSHCN whose conditions cause financial problems for the family	<b>18.8</b>	21.6
CSHCN whose families spend 11 or more hours per week providing or coordinating the child's health care	<b>9.9</b>	13.1
CSHCN whose conditions cause family members to cut back or stop working	<b>24.9</b>	25.0
CSHCN whose parents avoided changing jobs to maintain their child's health insurance	<b>21.2</b>	17.7



# Delaware

Estimated number of CSHCN: 36,143

All statistics are based on parental reports

Prevalence of CSHCN	State %	National %
Percent of children who have special health care needs	<b>17.5</b>	15.1
<b>Age</b>		
0–5 years	<b>10.6</b>	9.3
6–11 years	<b>19.3</b>	17.7
12–17 years	<b>22.6</b>	18.4
<b>Sex</b>		
Male	<b>20.9</b>	17.4
Female	<b>13.9</b>	12.7
<b>Poverty Level</b>		
0–99% FPL	<b>17.5</b>	16.0
100–199% FPL	<b>15.2</b>	15.4
200–399% FPL	<b>19.5</b>	14.5
400% FPL or more	<b>16.7</b>	14.7
<b>Hispanic Origin and Race</b>		
Non-Hispanic	<b>18.4</b>	16.2
White	<b>18.5</b>	16.3
Black	<b>19.4</b>	17.5
Asian	*	8.0
American Indian/Alaska Native	*	13.5
Native Hawaiian/Pacific Islander	*	12.3
Multiple races	*	17.9
Hispanic	<b>10.8</b>	11.2
Spanish language household	<b>4.9</b>	8.2
English language household	<b>17.4</b>	14.4

*\*Due to the small size of this group in the State population, data have been suppressed to protect respondents' confidentiality.*

Indicator	State %	National %
<b>Child Health</b>		
CSHCN whose conditions consistently affect their activities, often a great deal	<b>20.1</b>	27.1
CSHCN with 11 or more days of school absences due to illness	<b>14.7</b>	15.5
<b>Core System Outcomes</b>		
CSHCN whose families partner in decision making regarding their child's health	<b>72.0</b>	70.3
CSHCN receive coordinated, ongoing, comprehensive care within a medical home	<b>41.4</b>	43.0
CSHCN with a usual source of care when sick	<b>93.0</b>	90.5
CSHCN with a personal doctor or nurse	<b>91.8</b>	93.1
CSHCN who receive family-centered care	<b>64.2</b>	64.6
Families of CSHCN have adequate private and/or public insurance to pay for the needed services	<b>69.9</b>	60.6
CSHCN with insurance for the entire past year	<b>92.1</b>	90.7
Currently insured CSHCN whose insurance is adequate	<b>74.5</b>	65.7
Children are screened early and continuously for special health care needs	<b>84.6</b>	78.6
Community-based services are organized so families can use them easily	<b>69.0</b>	65.1
CSHCN whose families had no difficulties or delays receiving services	<b>70.4</b>	65.9
CSHCN whose families are sometimes or never frustrated in obtaining services	<b>92.4</b>	90.2
Youth with special health care needs receive the services necessary to make transitions to adult health care	<b>38.4</b>	40.0
<b>Impact on the Family</b>		
CSHCN whose families pay \$1,000 or more out of pocket in medical expenses per year for the child	<b>22.6</b>	22.1
CSHCN whose conditions cause financial problems for the family	<b>19.1</b>	21.6
CSHCN whose families spend 11 or more hours per week providing or coordinating the child's health care	<b>13.0</b>	13.1
CSHCN whose conditions cause family members to cut back or stop working	<b>21.6</b>	25.0
CSHCN whose parents avoided changing jobs to maintain their child's health insurance	<b>16.1</b>	17.7

# District of Columbia

Estimated number of CSHCN: 18,819

All statistics are based on parental reports

Prevalence of CSHCN	State %	National %
Percent of children who have special health care needs	<b>16.6</b>	15.1
<b>Age</b>		
0–5 years	<b>10.8</b>	9.3
6–11 years	<b>17.7</b>	17.7
12–17 years	<b>22.1</b>	18.4
<b>Sex</b>		
Male	<b>19.4</b>	17.4
Female	<b>13.7</b>	12.7
<b>Poverty Level</b>		
0–99% FPL	<b>16.6</b>	16.0
100–199% FPL	<b>18.3</b>	15.4
200–399% FPL	<b>17.1</b>	14.5
400% FPL or more	<b>16.9</b>	14.7
<b>Hispanic Origin and Race</b>		
Non-Hispanic	<b>17.4</b>	16.2
White	<b>15.7</b>	16.3
Black	<b>18.1</b>	17.5
Asian	*	8.0
American Indian/Alaska Native	*	13.5
Native Hawaiian/Pacific Islander	*	12.3
Multiple races	*	17.9
Hispanic	<b>10.6</b>	11.2
Spanish language household	<b>8.5</b>	8.2
English language household	<b>14.1</b>	14.4

*\*Due to the small size of this group in the State population, data have been suppressed to protect respondents' confidentiality.*

*\*\*Estimate suppressed as it does not meet the standard for reliability or precision.*

Indicator	State %	National %
<b>Child Health</b>		
CSHCN whose conditions consistently affect their activities, often a great deal	<b>21.9</b>	27.1
CSHCN with 11 or more days of school absences due to illness	<b>11.0</b>	15.5
<b>Core System Outcomes</b>		
CSHCN whose families partner in decision making regarding their child's health	<b>67.3</b>	70.3
CSHCN receive coordinated, ongoing, comprehensive care within a medical home	<b>34.2</b>	43.0
CSHCN with a usual source of care when sick	<b>90.4</b>	90.5
CSHCN with a personal doctor or nurse	<b>88.4</b>	93.1
CSHCN who receive family-centered care	<b>58.9</b>	64.6
Families of CSHCN have adequate private and/or public insurance to pay for the needed services	<b>65.8</b>	60.6
CSHCN with insurance for the entire past year	<b>95.2</b>	90.7
Currently insured CSHCN whose insurance is adequate	<b>68.8</b>	65.7
Children are screened early and continuously for special health care needs	<b>88.2</b>	78.6
Community-based services are organized so families can use them easily	<b>65.5</b>	65.1
CSHCN whose families had no difficulties or delays receiving services	<b>66.8</b>	65.9
CSHCN whose families are sometimes or never frustrated in obtaining services	<b>88.9</b>	90.2
Youth with special health care needs receive the services necessary to make transitions to adult health care	<b>33.8</b>	40.0
<b>Impact on the Family</b>		
CSHCN whose families pay \$1,000 or more out of pocket in medical expenses per year for the child	<b>17.9</b>	22.1
CSHCN whose conditions cause financial problems for the family	<b>15.1</b>	21.6
CSHCN whose families spend 11 or more hours per week providing or coordinating the child's health care	<b>11.7</b>	13.1
CSHCN whose conditions cause family members to cut back or stop working	<b>24.6</b>	25.0
CSHCN whose parents avoided changing jobs to maintain their child's health insurance	<b>14.2</b>	17.7

# Florida

Estimated number of CSHCN: 606,215

All statistics are based on parental reports

Prevalence of CSHCN	State %	National %
Percent of children who have special health care needs	<b>15.0</b>	15.1
<b>Age</b>		
0–5 years	<b>9.3</b>	9.3
6–11 years	<b>16.9</b>	17.7
12–17 years	<b>18.8</b>	18.4
<b>Sex</b>		
Male	<b>16.3</b>	17.4
Female	<b>13.5</b>	12.7
<b>Poverty Level</b>		
0–99% FPL	<b>15.0</b>	16.0
100–199% FPL	<b>16.1</b>	15.4
200–399% FPL	<b>16.0</b>	14.5
400% FPL or more	<b>14.3</b>	14.7
<b>Hispanic Origin and Race</b>		
Non-Hispanic	<b>15.8</b>	16.2
White	<b>16.2</b>	16.3
Black	<b>14.5</b>	17.5
Asian	*	8.0
American Indian/Alaska Native	*	13.5
Native Hawaiian/Pacific Islander	*	12.3
Multiple races	*	17.9
Hispanic	<b>12.7</b>	11.2
Spanish language household	<b>11.0</b>	8.2
English language household	<b>14.3</b>	14.4

*\*Due to the small size of this group in the State population, data have been suppressed to protect respondents' confidentiality.*

Indicator	State %	National %
<b>Child Health</b>		
CSHCN whose conditions consistently affect their activities, often a great deal	<b>29.6</b>	27.1
CSHCN with 11 or more days of school absences due to illness	<b>15.2</b>	15.5
<b>Core System Outcomes</b>		
CSHCN whose families partner in decision making regarding their child's health	<b>68.2</b>	70.3
CSHCN receive coordinated, ongoing, comprehensive care within a medical home	<b>36.2</b>	43.0
CSHCN with a usual source of care when sick	<b>89.1</b>	90.5
CSHCN with a personal doctor or nurse	<b>91.4</b>	93.1
CSHCN who receive family-centered care	<b>56.7</b>	64.6
Families of CSHCN have adequate private and/or public insurance to pay for the needed services	<b>56.5</b>	60.6
CSHCN with insurance for the entire past year	<b>85.4</b>	90.7
Currently insured CSHCN whose insurance is adequate	<b>64.3</b>	65.7
Children are screened early and continuously for special health care needs	<b>71.4</b>	78.6
Community-based services are organized so families can use them easily	<b>63.2</b>	65.1
CSHCN whose families had no difficulties or delays receiving services	<b>64.5</b>	65.9
CSHCN whose families are sometimes or never frustrated in obtaining services	<b>86.6</b>	90.2
Youth with special health care needs receive the services necessary to make transitions to adult health care	<b>37.0</b>	40.0
<b>Impact on the Family</b>		
CSHCN whose families pay \$1,000 or more out of pocket in medical expenses per year for the child	<b>24.3</b>	22.1
CSHCN whose conditions cause financial problems for the family	<b>26.0</b>	21.6
CSHCN whose families spend 11 or more hours per week providing or coordinating the child's health care	<b>12.4</b>	13.1
CSHCN whose conditions cause family members to cut back or stop working	<b>27.5</b>	25.0
CSHCN whose parents avoided changing jobs to maintain their child's health insurance	<b>18.2</b>	17.7

# Georgia

Estimated number of CSHCN: 411,526

All statistics are based on parental reports

Prevalence of CSHCN	State %	National %
Percent of children who have special health care needs	<b>16.0</b>	15.1
<b>Age</b>		
0–5 years	<b>11.5</b>	9.3
6–11 years	<b>18.1</b>	17.7
12–17 years	<b>18.5</b>	18.4
<b>Sex</b>		
Male	<b>17.8</b>	17.4
Female	<b>14.1</b>	12.7
<b>Poverty Level</b>		
0–99% FPL	<b>16.0</b>	16.0
100–199% FPL	<b>17.4</b>	15.4
200–399% FPL	<b>15.4</b>	14.5
400% FPL or more	<b>14.9</b>	14.7
<b>Hispanic Origin and Race</b>		
Non-Hispanic	<b>17.1</b>	16.2
White	<b>17.5</b>	16.3
Black	<b>17.8</b>	17.5
Asian	*	8.0
American Indian/ Alaska Native	*	13.5
Native Hawaiian/ Pacific Islander	*	12.3
Multiple races	*	17.9
Hispanic	<b>7.9</b>	11.2
Spanish language household	<b>4.9</b>	8.2
English language household	<b>12.2</b>	14.4

*\*Due to the small size of this group in the State population, data have been suppressed to protect respondents' confidentiality.*

Indicator	State %	National %
<b>Child Health</b>		
CSHCN whose conditions consistently affect their activities, often a great deal	<b>23.7</b>	27.1
CSHCN with 11 or more days of school absences due to illness	<b>13.2</b>	15.5
<b>Core System Outcomes</b>		
CSHCN whose families partner in decision making regarding their child's health	<b>67.6</b>	70.3
CSHCN receive coordinated, ongoing, comprehensive care within a medical home	<b>45.7</b>	43.0
CSHCN with a usual source of care when sick	<b>90.9</b>	90.5
CSHCN with a personal doctor or nurse	<b>91.0</b>	93.1
CSHCN who receive family-centered care	<b>65.3</b>	64.6
Families of CSHCN have adequate private and/or public insurance to pay for the needed services	<b>62.2</b>	60.6
CSHCN with insurance for the entire past year	<b>88.4</b>	90.7
Currently insured CSHCN whose insurance is adequate	<b>69.0</b>	65.7
Children are screened early and continuously for special health care needs	<b>78.0</b>	78.6
Community-based services are organized so families can use them easily	<b>69.5</b>	65.1
CSHCN whose families had no difficulties or delays receiving services	<b>69.6</b>	65.9
CSHCN whose families are sometimes or never frustrated in obtaining services	<b>92.0</b>	90.2
Youth with special health care needs receive the services necessary to make transitions to adult health care	<b>33.9</b>	40.0
<b>Impact on the Family</b>		
CSHCN whose families pay \$1,000 or more out of pocket in medical expenses per year for the child	<b>19.4</b>	22.1
CSHCN whose conditions cause financial problems for the family	<b>22.4</b>	21.6
CSHCN whose families spend 11 or more hours per week providing or coordinating the child's health care	<b>11.1</b>	13.1
CSHCN whose conditions cause family members to cut back or stop working	<b>21.1</b>	25.0
CSHCN whose parents avoided changing jobs to maintain their child's health insurance	<b>16.0</b>	17.7

# Hawaii

Estimated number of CSHCN: 35,022

All statistics are based on parental reports

Prevalence of CSHCN	State %	National %
Percent of children who have special health care needs	<b>12.3</b>	15.1
<b>Age</b>		
0–5 years	<b>8.1</b>	9.3
6–11 years	<b>14.2</b>	17.7
12–17 years	<b>15.0</b>	18.4
<b>Sex</b>		
Male	<b>14.3</b>	17.4
Female	<b>10.0</b>	12.7
<b>Poverty Level</b>		
0–99% FPL	<b>12.3</b>	16.0
100–199% FPL	<b>11.0</b>	15.4
200–399% FPL	<b>13.3</b>	14.5
400% FPL or more	<b>12.0</b>	14.7
<b>Hispanic Origin and Race</b>		
Non-Hispanic	<b>11.9</b>	16.2
White	<b>12.6</b>	16.3
Black	<b>17.3</b>	17.5
Asian	<b>9.0</b>	8.0
American Indian/Alaska Native	*	13.5
Native Hawaiian/Pacific Islander	<b>13.0</b>	12.3
Multiple races	<b>11.5</b>	17.9
Hispanic	<b>14.3</b>	11.2
Spanish language household	*	8.2
English language household	<b>15.2</b>	14.4

*\*Due to the small size of this group in the State population, data have been suppressed to protect respondents' confidentiality.*

Indicator	State %	National %
<b>Child Health</b>		
CSHCN whose conditions consistently affect their activities, often a great deal	<b>24.0</b>	27.1
CSHCN with 11 or more days of school absences due to illness	<b>14.0</b>	15.5
<b>Core System Outcomes</b>		
CSHCN whose families partner in decision making regarding their child's health	<b>77.7</b>	70.3
CSHCN receive coordinated, ongoing, comprehensive care within a medical home	<b>45.4</b>	43.0
CSHCN with a usual source of care when sick	<b>91.7</b>	90.5
CSHCN with a personal doctor or nurse	<b>93.8</b>	93.1
CSHCN who receive family-centered care	<b>66.8</b>	64.6
Families of CSHCN have adequate private and/or public insurance to pay for the needed services	<b>72.6</b>	60.6
CSHCN with insurance for the entire past year	<b>94.7</b>	90.7
Currently insured CSHCN whose insurance is adequate	<b>74.1</b>	65.7
Children are screened early and continuously for special health care needs	<b>81.1</b>	78.6
Community-based services are organized so families can use them easily	<b>71.5</b>	65.1
CSHCN whose families had no difficulties or delays receiving services	<b>72.9</b>	65.9
CSHCN whose families are sometimes or never frustrated in obtaining services	<b>90.1</b>	90.2
Youth with special health care needs receive the services necessary to make transitions to adult health care	<b>37.3</b>	40.0
<b>Impact on the Family</b>		
CSHCN whose families pay \$1,000 or more out of pocket in medical expenses per year for the child	<b>15.5</b>	22.1
CSHCN whose conditions cause financial problems for the family	<b>14.0</b>	21.6
CSHCN whose families spend 11 or more hours per week providing or coordinating the child's health care	<b>11.3</b>	13.1
CSHCN whose conditions cause family members to cut back or stop working	<b>23.6</b>	25.0
CSHCN whose parents avoided changing jobs to maintain their child's health insurance	<b>15.5</b>	17.7

# Idaho

Estimated number of CSHCN: 53,280

All statistics are based on parental reports

Prevalence of CSHCN	State %	National %
Percent of children who have special health care needs	<b>12.7</b>	15.1
<b>Age</b>		
0–5 years	<b>7.2</b>	9.3
6–11 years	<b>13.7</b>	17.7
12–17 years	<b>17.9</b>	18.4
<b>Sex</b>		
Male	<b>14.9</b>	17.4
Female	<b>10.5</b>	12.7
<b>Poverty Level</b>		
0–99% FPL	<b>12.7</b>	16.0
100–199% FPL	<b>14.2</b>	15.4
200–399% FPL	<b>12.3</b>	14.5
400% FPL or more	<b>12.4</b>	14.7
<b>Hispanic Origin and Race</b>		
Non-Hispanic	<b>13.5</b>	16.2
White	<b>13.3</b>	16.3
Black	<b>**</b>	17.5
Asian	<b>*</b>	8.0
American Indian/Alaska Native	<b>*</b>	13.5
Native Hawaiian/Pacific Islander	<b>*</b>	12.3
Multiple races	<b>*</b>	17.9
Hispanic	<b>9.1</b>	11.2
Spanish language household	<b>4.7</b>	8.2
English language household	<b>13.8</b>	14.4

*\*Due to the small size of this group in the State population, data have been suppressed to protect respondents' confidentiality.*

*\*\*Estimate suppressed as it does not meet the standard for reliability or precision.*

Indicator	State %	National %
<b>Child Health</b>		
CSHCN whose conditions consistently affect their activities, often a great deal	<b>29.2</b>	27.1
CSHCN with 11 or more days of school absences due to illness	<b>18.6</b>	15.5
<b>Core System Outcomes</b>		
CSHCN whose families partner in decision making regarding their child's health	<b>72.4</b>	70.3
CSHCN receive coordinated, ongoing, comprehensive care within a medical home	<b>42.9</b>	43.0
CSHCN with a usual source of care when sick	<b>88.0</b>	90.5
CSHCN with a personal doctor or nurse	<b>91.2</b>	93.1
CSHCN who receive family-centered care	<b>61.6</b>	64.6
Families of CSHCN have adequate private and/or public insurance to pay for the needed services	<b>55.2</b>	60.6
CSHCN with insurance for the entire past year	<b>87.1</b>	90.7
Currently insured CSHCN whose insurance is adequate	<b>62.5</b>	65.7
Children are screened early and continuously for special health care needs	<b>72.1</b>	78.6
Community-based services are organized so families can use them easily	<b>64.6</b>	65.1
CSHCN whose families had no difficulties or delays receiving services	<b>64.9</b>	65.9
CSHCN whose families are sometimes or never frustrated in obtaining services	<b>92.2</b>	90.2
Youth with special health care needs receive the services necessary to make transitions to adult health care	<b>46.6</b>	40.0
<b>Impact on the Family</b>		
CSHCN whose families pay \$1,000 or more out of pocket in medical expenses per year for the child	<b>23.6</b>	22.1
CSHCN whose conditions cause financial problems for the family	<b>22.2</b>	21.6
CSHCN whose families spend 11 or more hours per week providing or coordinating the child's health care	<b>14.0</b>	13.1
CSHCN whose conditions cause family members to cut back or stop working	<b>24.7</b>	25.0
CSHCN whose parents avoided changing jobs to maintain their child's health insurance	<b>17.4</b>	17.7



# Illinois

Estimated number of CSHCN: 452,574

All statistics are based on parental reports

Prevalence of CSHCN	State %	National %
Percent of children who have special health care needs	<b>14.3</b>	15.1
<b>Age</b>		
0–5 years	<b>9.2</b>	9.3
6–11 years	<b>16.3</b>	17.7
12–17 years	<b>17.4</b>	18.4
<b>Sex</b>		
Male	<b>16.2</b>	17.4
Female	<b>12.3</b>	12.7
<b>Poverty Level</b>		
0–99% FPL	<b>14.3</b>	16.0
100–199% FPL	<b>13.6</b>	15.4
200–399% FPL	<b>15.9</b>	14.5
400% FPL or more	<b>14.1</b>	14.7
<b>Hispanic Origin and Race</b>		
Non-Hispanic	<b>15.1</b>	16.2
White	<b>15.1</b>	16.3
Black	<b>16.5</b>	17.5
Asian	*	8.0
American Indian/Alaska Native	*	13.5
Native Hawaiian/Pacific Islander	*	12.3
Multiple races	*	17.9
Hispanic	<b>11.7</b>	11.2
Spanish language household	<b>8.1</b>	8.2
English language household	<b>17.1</b>	14.4

*\*Due to the small size of this group in the State population, data have been suppressed to protect respondents' confidentiality.*

Indicator	State %	National %
<b>Child Health</b>		
CSHCN whose conditions consistently affect their activities, often a great deal	<b>27.3</b>	27.1
CSHCN with 11 or more days of school absences due to illness	<b>16.3</b>	15.5
<b>Core System Outcomes</b>		
CSHCN whose families partner in decision making regarding their child's health	<b>71.1</b>	70.3
CSHCN receive coordinated, ongoing, comprehensive care within a medical home	<b>44.5</b>	43.0
CSHCN with a usual source of care when sick	<b>85.9</b>	90.5
CSHCN with a personal doctor or nurse	<b>91.4</b>	93.1
CSHCN who receive family-centered care	<b>66.8</b>	64.6
Families of CSHCN have adequate private and/or public insurance to pay for the needed services	<b>62.2</b>	60.6
CSHCN with insurance for the entire past year	<b>96.8</b>	90.7
Currently insured CSHCN whose insurance is adequate	<b>63.8</b>	65.7
Children are screened early and continuously for special health care needs	<b>81.3</b>	78.6
Community-based services are organized so families can use them easily	<b>64.6</b>	65.1
CSHCN whose families had no difficulties or delays receiving services	<b>66.1</b>	65.9
CSHCN whose families are sometimes or never frustrated in obtaining services	<b>89.4</b>	90.2
Youth with special health care needs receive the services necessary to make transitions to adult health care	<b>45.3</b>	40.0
<b>Impact on the Family</b>		
CSHCN whose families pay \$1,000 or more out of pocket in medical expenses per year for the child	<b>22.6</b>	22.1
CSHCN whose conditions cause financial problems for the family	<b>20.6</b>	21.6
CSHCN whose families spend 11 or more hours per week providing or coordinating the child's health care	<b>10.7</b>	13.1
CSHCN whose conditions cause family members to cut back or stop working	<b>23.7</b>	25.0
CSHCN whose parents avoided changing jobs to maintain their child's health insurance	<b>16.4</b>	17.7

# Indiana

Estimated number of CSHCN: 268,717

All statistics are based on parental reports

Prevalence of CSHCN	State %	National %
Percent of children who have special health care needs	<b>17.0</b>	15.1
<b>Age</b>		
0–5 years	<b>11.4</b>	9.3
6–11 years	<b>18.8</b>	17.7
12–17 years	<b>20.8</b>	18.4
<b>Sex</b>		
Male	<b>19.4</b>	17.4
Female	<b>14.5</b>	12.7
<b>Poverty Level</b>		
0–99% FPL	<b>17.0</b>	16.0
100–199% FPL	<b>19.1</b>	15.4
200–399% FPL	<b>16.0</b>	14.5
400% FPL or more	<b>16.3</b>	14.7
<b>Hispanic Origin and Race</b>		
Non-Hispanic	<b>17.5</b>	16.2
White	<b>17.3</b>	16.3
Black	<b>19.0</b>	17.5
Asian	*	8.0
American Indian/Alaska Native	*	13.5
Native Hawaiian/Pacific Islander	*	12.3
Multiple races	*	17.9
Hispanic	<b>10.8</b>	11.2
Spanish language household	<b>5.7</b>	8.2
English language household	<b>15.5</b>	14.4

*\*Due to the small size of this group in the State population, data have been suppressed to protect respondents' confidentiality.*

Indicator	State %	National %
<b>Child Health</b>		
CSHCN whose conditions consistently affect their activities, often a great deal	<b>28.2</b>	27.1
CSHCN with 11 or more days of school absences due to illness	<b>11.9</b>	15.5
<b>Core System Outcomes</b>		
CSHCN whose families partner in decision making regarding their child's health	<b>72.6</b>	70.3
CSHCN receive coordinated, ongoing, comprehensive care within a medical home	<b>48.5</b>	43.0
CSHCN with a usual source of care when sick	<b>90.9</b>	90.5
CSHCN with a personal doctor or nurse	<b>93.9</b>	93.1
CSHCN who receive family-centered care	<b>69.6</b>	64.6
Families of CSHCN have adequate private and/or public insurance to pay for the needed services	<b>58.6</b>	60.6
CSHCN with insurance for the entire past year	<b>90.5</b>	90.7
Currently insured CSHCN whose insurance is adequate	<b>64.7</b>	65.7
Children are screened early and continuously for special health care needs	<b>79.1</b>	78.6
Community-based services are organized so families can use them easily	<b>65.9</b>	65.1
CSHCN whose families had no difficulties or delays receiving services	<b>66.8</b>	65.9
CSHCN whose families are sometimes or never frustrated in obtaining services	<b>88.9</b>	90.2
Youth with special health care needs receive the services necessary to make transitions to adult health care	<b>43.7</b>	40.0
<b>Impact on the Family</b>		
CSHCN whose families pay \$1,000 or more out of pocket in medical expenses per year for the child	<b>23.5</b>	22.1
CSHCN whose conditions cause financial problems for the family	<b>25.0</b>	21.6
CSHCN whose families spend 11 or more hours per week providing or coordinating the child's health care	<b>12.5</b>	13.1
CSHCN whose conditions cause family members to cut back or stop working	<b>24.9</b>	25.0
CSHCN whose parents avoided changing jobs to maintain their child's health insurance	<b>20.0</b>	17.7

# Iowa

Estimated number of CSHCN: 105,815

All statistics are based on parental reports

Prevalence of CSHCN	State %	National %
Percent of children who have special health care needs	<b>15.0</b>	15.1
<b>Age</b>		
0–5 years	<b>8.5</b>	9.3
6–11 years	<b>17.2</b>	17.7
12–17 years	<b>19.0</b>	18.4
<b>Sex</b>		
Male	<b>17.5</b>	17.4
Female	<b>12.3</b>	12.7
<b>Poverty Level</b>		
0–99% FPL	<b>15.0</b>	16.0
100–199% FPL	<b>21.4</b>	15.4
200–399% FPL	<b>16.5</b>	14.5
400% FPL or more	<b>12.8</b>	14.7
<b>Hispanic Origin and Race</b>		
Non-Hispanic	<b>15.3</b>	16.2
White	<b>14.7</b>	16.3
Black	<b>21.5</b>	17.5
Asian	*	8.0
American Indian/Alaska Native	*	13.5
Native Hawaiian/Pacific Islander	*	12.3
Multiple races	*	17.9
Hispanic	<b>10.9</b>	11.2
Spanish language household	*	8.2
English language household	<b>19.0</b>	14.4

*\*Due to the small size of this group in the State population, data have been suppressed to protect respondents' confidentiality.*

Indicator	State %	National %
<b>Child Health</b>		
CSHCN whose conditions consistently affect their activities, often a great deal	<b>24.7</b>	27.1
CSHCN with 11 or more days of school absences due to illness	<b>12.3</b>	15.5
<b>Core System Outcomes</b>		
CSHCN whose families partner in decision making regarding their child's health	<b>75.8</b>	70.3
CSHCN receive coordinated, ongoing, comprehensive care within a medical home	<b>47.0</b>	43.0
CSHCN with a usual source of care when sick	<b>92.7</b>	90.5
CSHCN with a personal doctor or nurse	<b>93.3</b>	93.1
CSHCN who receive family-centered care	<b>67.6</b>	64.6
Families of CSHCN have adequate private and/or public insurance to pay for the needed services	<b>64.6</b>	60.6
CSHCN with insurance for the entire past year	<b>92.3</b>	90.7
Currently insured CSHCN whose insurance is adequate	<b>68.7</b>	65.7
Children are screened early and continuously for special health care needs	<b>81.1</b>	78.6
Community-based services are organized so families can use them easily	<b>68.0</b>	65.1
CSHCN whose families had no difficulties or delays receiving services	<b>68.1</b>	65.9
CSHCN whose families are sometimes or never frustrated in obtaining services	<b>94.1</b>	90.2
Youth with special health care needs receive the services necessary to make transitions to adult health care	<b>45.0</b>	40.0
<b>Impact on the Family</b>		
CSHCN whose families pay \$1,000 or more out of pocket in medical expenses per year for the child	<b>24.3</b>	22.1
CSHCN whose conditions cause financial problems for the family	<b>20.6</b>	21.6
CSHCN whose families spend 11 or more hours per week providing or coordinating the child's health care	<b>10.9</b>	13.1
CSHCN whose conditions cause family members to cut back or stop working	<b>17.6</b>	25.0
CSHCN whose parents avoided changing jobs to maintain their child's health insurance	<b>16.0</b>	17.7

# Kansas

Estimated number of CSHCN: 120,822

All statistics are based on parental reports

Prevalence of CSHCN	State %	National %
Percent of children who have special health care needs	<b>17.3</b>	15.1
<b>Age</b>		
0–5 years	<b>9.9</b>	9.3
6–11 years	<b>19.2</b>	17.7
12–17 years	<b>23.1</b>	18.4
<b>Sex</b>		
Male	<b>19.9</b>	17.4
Female	<b>14.6</b>	12.7
<b>Poverty Level</b>		
0–99% FPL	<b>17.3</b>	16.0
100–199% FPL	<b>20.0</b>	15.4
200–399% FPL	<b>16.3</b>	14.5
400% FPL or more	<b>16.7</b>	14.7
<b>Hispanic Origin and Race</b>		
Non-Hispanic	<b>18.0</b>	16.2
White	<b>17.6</b>	16.3
Black	<b>22.5</b>	17.5
Asian	*	8.0
American Indian/Alaska Native	*	13.5
Native Hawaiian/Pacific Islander	*	12.3
Multiple races	*	17.9
Hispanic	<b>12.8</b>	11.2
Spanish language household	<b>8.2</b>	8.2
English language household	<b>18.2</b>	14.4

*\*Due to the small size of this group in the State population, data have been suppressed to protect respondents' confidentiality.*

Indicator	State %	National %
<b>Child Health</b>		
CSHCN whose conditions consistently affect their activities, often a great deal	<b>24.0</b>	27.1
CSHCN with 11 or more days of school absences due to illness	<b>13.5</b>	15.5
<b>Core System Outcomes</b>		
CSHCN whose families partner in decision making regarding their child's health	<b>72.6</b>	70.3
CSHCN receive coordinated, ongoing, comprehensive care within a medical home	<b>49.4</b>	43.0
CSHCN with a usual source of care when sick	<b>91.9</b>	90.5
CSHCN with a personal doctor or nurse	<b>93.0</b>	93.1
CSHCN who receive family-centered care	<b>69.8</b>	64.6
Families of CSHCN have adequate private and/or public insurance to pay for the needed services	<b>60.0</b>	60.6
CSHCN with insurance for the entire past year	<b>89.3</b>	90.7
Currently insured CSHCN whose insurance is adequate	<b>67.3</b>	65.7
Children are screened early and continuously for special health care needs	<b>82.9</b>	78.6
Community-based services are organized so families can use them easily	<b>66.8</b>	65.1
CSHCN whose families had no difficulties or delays receiving services	<b>66.9</b>	65.9
CSHCN whose families are sometimes or never frustrated in obtaining services	<b>90.4</b>	90.2
Youth with special health care needs receive the services necessary to make transitions to adult health care	<b>52.7</b>	40.0
<b>Impact on the Family</b>		
CSHCN whose families pay \$1,000 or more out of pocket in medical expenses per year for the child	<b>29.0</b>	22.1
CSHCN whose conditions cause financial problems for the family	<b>26.3</b>	21.6
CSHCN whose families spend 11 or more hours per week providing or coordinating the child's health care	<b>10.8</b>	13.1
CSHCN whose conditions cause family members to cut back or stop working	<b>23.0</b>	25.0
CSHCN whose parents avoided changing jobs to maintain their child's health insurance	<b>19.8</b>	17.7

# Kentucky

Estimated number of CSHCN: 197,916

All statistics are based on parental reports

Prevalence of CSHCN	State %	National %
Percent of children who have special health care needs	<b>19.5</b>	15.1
<b>Age</b>		
0–5 years	<b>11.5</b>	9.3
6–11 years	<b>24.0</b>	17.7
12–17 years	<b>23.1</b>	18.4
<b>Sex</b>		
Male	<b>23.1</b>	17.4
Female	<b>15.8</b>	12.7
<b>Poverty Level</b>		
0–99% FPL	<b>19.5</b>	16.0
100–199% FPL	<b>26.3</b>	15.4
200–399% FPL	<b>19.9</b>	14.5
400% FPL or more	<b>14.4</b>	14.7
<b>Hispanic Origin and Race</b>		
Non-Hispanic	<b>19.6</b>	16.2
White	<b>18.5</b>	16.3
Black	<b>18.2</b>	17.5
Asian	*	8.0
American Indian/Alaska Native	*	13.5
Native Hawaiian/Pacific Islander	*	12.3
Multiple races	*	17.9
Hispanic	<b>17.8</b>	11.2
Spanish language household	*	8.2
English language household	<b>21.5</b>	14.4

*\*Due to the small size of this group in the State population, data have been suppressed to protect respondents' confidentiality.*

Indicator	State %	National %
<b>Child Health</b>		
CSHCN whose conditions consistently affect their activities, often a great deal	<b>30.1</b>	27.1
CSHCN with 11 or more days of school absences due to illness	<b>14.7</b>	15.5
<b>Core System Outcomes</b>		
CSHCN whose families partner in decision making regarding their child's health	<b>73.6</b>	70.3
CSHCN receive coordinated, ongoing, comprehensive care within a medical home	<b>50.2</b>	43.0
CSHCN with a usual source of care when sick	<b>93.6</b>	90.5
CSHCN with a personal doctor or nurse	<b>94.4</b>	93.1
CSHCN who receive family-centered care	<b>67.5</b>	64.6
Families of CSHCN have adequate private and/or public insurance to pay for the needed services	<b>66.8</b>	60.6
CSHCN with insurance for the entire past year	<b>90.9</b>	90.7
Currently insured CSHCN whose insurance is adequate	<b>71.0</b>	65.7
Children are screened early and continuously for special health care needs	<b>79.7</b>	78.6
Community-based services are organized so families can use them easily	<b>63.8</b>	65.1
CSHCN whose families had no difficulties or delays receiving services	<b>65.4</b>	65.9
CSHCN whose families are sometimes or never frustrated in obtaining services	<b>87.9</b>	90.2
Youth with special health care needs receive the services necessary to make transitions to adult health care	<b>37.1</b>	40.0
<b>Impact on the Family</b>		
CSHCN whose families pay \$1,000 or more out of pocket in medical expenses per year for the child	<b>16.8</b>	22.1
CSHCN whose conditions cause financial problems for the family	<b>21.0</b>	21.6
CSHCN whose families spend 11 or more hours per week providing or coordinating the child's health care	<b>13.7</b>	13.1
CSHCN whose conditions cause family members to cut back or stop working	<b>23.4</b>	25.0
CSHCN whose parents avoided changing jobs to maintain their child's health insurance	<b>17.0</b>	17.7

# Louisiana

Estimated number of CSHCN: 207,840

All statistics are based on parental reports

Prevalence of CSHCN	State %	National %
Percent of children who have special health care needs	<b>18.6</b>	15.1
<b>Age</b>		
0–5 years	<b>11.2</b>	9.3
6–11 years	<b>22.2</b>	17.7
12–17 years	<b>22.5</b>	18.4
<b>Sex</b>		
Male	<b>21.4</b>	17.4
Female	<b>15.6</b>	12.7
<b>Poverty Level</b>		
0–99% FPL	<b>18.6</b>	16.0
100–199% FPL	<b>21.0</b>	15.4
200–399% FPL	<b>20.1</b>	14.5
400% FPL or more	<b>17.3</b>	14.7
<b>Hispanic Origin and Race</b>		
Non-Hispanic	<b>18.7</b>	16.2
White	<b>18.3</b>	16.3
Black	<b>19.9</b>	17.5
Asian	*	8.0
American Indian/Alaska Native	*	13.5
Native Hawaiian/Pacific Islander	*	12.3
Multiple races	*	17.9
Hispanic	<b>15.4</b>	11.2
Spanish language household	*	8.2
English language household	<b>20.4</b>	14.4

*\*Due to the small size of this group in the State population, data have been suppressed to protect respondents' confidentiality.*

Indicator	State %	National %
<b>Child Health</b>		
CSHCN whose conditions consistently affect their activities, often a great deal	<b>30.6</b>	27.1
CSHCN with 11 or more days of school absences due to illness	<b>17.3</b>	15.5
<b>Core System Outcomes</b>		
CSHCN whose families partner in decision making regarding their child's health	<b>67.1</b>	70.3
CSHCN receive coordinated, ongoing, comprehensive care within a medical home	<b>40.4</b>	43.0
CSHCN with a usual source of care when sick	<b>89.2</b>	90.5
CSHCN with a personal doctor or nurse	<b>91.4</b>	93.1
CSHCN who receive family-centered care	<b>60.7</b>	64.6
Families of CSHCN have adequate private and/or public insurance to pay for the needed services	<b>63.4</b>	60.6
CSHCN with insurance for the entire past year	<b>92.3</b>	90.7
Currently insured CSHCN whose insurance is adequate	<b>67.8</b>	65.7
Children are screened early and continuously for special health care needs	<b>76.7</b>	78.6
Community-based services are organized so families can use them easily	<b>65.5</b>	65.1
CSHCN whose families had no difficulties or delays receiving services	<b>66.9</b>	65.9
CSHCN whose families are sometimes or never frustrated in obtaining services	<b>87.6</b>	90.2
Youth with special health care needs receive the services necessary to make transitions to adult health care	<b>32.9</b>	40.0
<b>Impact on the Family</b>		
CSHCN whose families pay \$1,000 or more out of pocket in medical expenses per year for the child	<b>21.0</b>	22.1
CSHCN whose conditions cause financial problems for the family	<b>23.4</b>	21.6
CSHCN whose families spend 11 or more hours per week providing or coordinating the child's health care	<b>19.2</b>	13.1
CSHCN whose conditions cause family members to cut back or stop working	<b>28.7</b>	25.0
CSHCN whose parents avoided changing jobs to maintain their child's health insurance	<b>18.6</b>	17.7



# Maine

Estimated number of CSHCN: 53,122

All statistics are based on parental reports

Prevalence of CSHCN	State %	National %
Percent of children who have special health care needs	<b>19.4</b>	15.1
<b>Age</b>		
0–5 years	<b>12.7</b>	9.3
6–11 years	<b>21.9</b>	17.7
12–17 years	<b>23.2</b>	18.4
<b>Sex</b>		
Male	<b>21.8</b>	17.4
Female	<b>17.2</b>	12.7
<b>Poverty Level</b>		
0–99% FPL	<b>19.4</b>	16.0
100–199% FPL	<b>29.7</b>	15.4
200–399% FPL	<b>23.1</b>	14.5
400% FPL or more	<b>14.7</b>	14.7
<b>Hispanic Origin and Race</b>		
Non-Hispanic	<b>19.3</b>	16.2
White	<b>19.0</b>	16.3
Black	<b>23.8</b>	17.5
Asian	*	8.0
American Indian/Alaska Native	*	13.5
Native Hawaiian/Pacific Islander	*	12.3
Multiple races	*	17.9
Hispanic	<b>25.1</b>	11.2
Spanish language household	*	8.2
English language household	<b>25.1</b>	14.4

*\*Due to the small size of this group in the State population, data have been suppressed to protect respondents' confidentiality.*

Indicator	State %	National %
<b>Child Health</b>		
CSHCN whose conditions consistently affect their activities, often a great deal	<b>26.7</b>	27.1
CSHCN with 11 or more days of school absences due to illness	<b>15.0</b>	15.5
<b>Core System Outcomes</b>		
CSHCN whose families partner in decision making regarding their child's health	<b>74.5</b>	70.3
CSHCN receive coordinated, ongoing, comprehensive care within a medical home	<b>47.5</b>	43.0
CSHCN with a usual source of care when sick	<b>92.2</b>	90.5
CSHCN with a personal doctor or nurse	<b>93.6</b>	93.1
CSHCN who receive family-centered care	<b>72.3</b>	64.6
Families of CSHCN have adequate private and/or public insurance to pay for the needed services	<b>70.2</b>	60.6
CSHCN with insurance for the entire past year	<b>95.1</b>	90.7
Currently insured CSHCN whose insurance is adequate	<b>73.8</b>	65.7
Children are screened early and continuously for special health care needs	<b>83.4</b>	78.6
Community-based services are organized so families can use them easily	<b>63.7</b>	65.1
CSHCN whose families had no difficulties or delays receiving services	<b>64.7</b>	65.9
CSHCN whose families are sometimes or never frustrated in obtaining services	<b>89.9</b>	90.2
Youth with special health care needs receive the services necessary to make transitions to adult health care	<b>43.1</b>	40.0
<b>Impact on the Family</b>		
CSHCN whose families pay \$1,000 or more out of pocket in medical expenses per year for the child	<b>17.4</b>	22.1
CSHCN whose conditions cause financial problems for the family	<b>18.6</b>	21.6
CSHCN whose families spend 11 or more hours per week providing or coordinating the child's health care	<b>13.4</b>	13.1
CSHCN whose conditions cause family members to cut back or stop working	<b>23.9</b>	25.0
CSHCN whose parents avoided changing jobs to maintain their child's health insurance	<b>16.3</b>	17.7

# Maryland

Estimated number of CSHCN: 211,442

All statistics are based on parental reports

Prevalence of CSHCN	State %	National %
Percent of children who have special health care needs	<b>15.7</b>	15.1
<b>Age</b>		
0–5 years	<b>9.2</b>	9.3
6–11 years	<b>18.1</b>	17.7
12–17 years	<b>19.7</b>	18.4
<b>Sex</b>		
Male	<b>18.2</b>	17.4
Female	<b>13.1</b>	12.7
<b>Poverty Level</b>		
0–99% FPL	<b>15.7</b>	16.0
100–199% FPL	<b>18.6</b>	15.4
200–399% FPL	<b>16.5</b>	14.5
400% FPL or more	<b>15.0</b>	14.7
<b>Hispanic Origin and Race</b>		
Non-Hispanic	<b>16.2</b>	16.2
White	<b>17.6</b>	16.3
Black	<b>14.7</b>	17.5
Asian	*	8.0
American Indian/Alaska Native	*	13.5
Native Hawaiian/Pacific Islander	*	12.3
Multiple races	*	17.9
Hispanic	<b>11.2</b>	11.2
Spanish language household	<b>5.6</b>	8.2
English language household	<b>17.5</b>	14.4

*\*Due to the small size of this group in the State population, data have been suppressed to protect respondents' confidentiality.*

Indicator	State %	National %
<b>Child Health</b>		
CSHCN whose conditions consistently affect their activities, often a great deal	<b>22.8</b>	27.1
CSHCN with 11 or more days of school absences due to illness	<b>13.1</b>	15.5
<b>Core System Outcomes</b>		
CSHCN whose families partner in decision making regarding their child's health	<b>69.3</b>	70.3
CSHCN receive coordinated, ongoing, comprehensive care within a medical home	<b>44.2</b>	43.0
CSHCN with a usual source of care when sick	<b>92.3</b>	90.5
CSHCN with a personal doctor or nurse	<b>93.8</b>	93.1
CSHCN who receive family-centered care	<b>67.1</b>	64.6
Families of CSHCN have adequate private and/or public insurance to pay for the needed services	<b>61.3</b>	60.6
CSHCN with insurance for the entire past year	<b>92.4</b>	90.7
Currently insured CSHCN whose insurance is adequate	<b>65.3</b>	65.7
Children are screened early and continuously for special health care needs	<b>81.2</b>	78.6
Community-based services are organized so families can use them easily	<b>65.1</b>	65.1
CSHCN whose families had no difficulties or delays receiving services	<b>65.8</b>	65.9
CSHCN whose families are sometimes or never frustrated in obtaining services	<b>91.1</b>	90.2
Youth with special health care needs receive the services necessary to make transitions to adult health care	<b>36.8</b>	40.0
<b>Impact on the Family</b>		
CSHCN whose families pay \$1,000 or more out of pocket in medical expenses per year for the child	<b>22.3</b>	22.1
CSHCN whose conditions cause financial problems for the family	<b>18.3</b>	21.6
CSHCN whose families spend 11 or more hours per week providing or coordinating the child's health care	<b>9.0</b>	13.1
CSHCN whose conditions cause family members to cut back or stop working	<b>22.2</b>	25.0
CSHCN whose parents avoided changing jobs to maintain their child's health insurance	<b>17.0</b>	17.7

# Massachusetts

Estimated number of CSHCN: 261,475

All statistics are based on parental reports

Prevalence of CSHCN	State %	National %
Percent of children who have special health care needs	<b>18.3</b>	15.1
<b>Age</b>		
0–5 years	<b>9.8</b>	9.3
6–11 years	<b>21.4</b>	17.7
12–17 years	<b>23.3</b>	18.4
<b>Sex</b>		
Male	<b>21.1</b>	17.4
Female	<b>15.3</b>	12.7
<b>Poverty Level</b>		
0–99% FPL	<b>18.3</b>	16.0
100–199% FPL	<b>21.7</b>	15.4
200–399% FPL	<b>19.6</b>	14.5
400% FPL or more	<b>17.3</b>	14.7
<b>Hispanic Origin and Race</b>		
Non-Hispanic	<b>18.2</b>	16.2
White	<b>18.8</b>	16.3
Black	<b>16.1</b>	17.5
Asian	<b>9.7</b>	8.0
American Indian/Alaska Native	*	13.5
Native Hawaiian/Pacific Islander	*	12.3
Multiple races	*	17.9
Hispanic	<b>18.9</b>	11.2
Spanish language household	<b>14.6</b>	8.2
English language household	<b>22.7</b>	14.4

*\*Due to the small size of this group in the State population, data have been suppressed to protect respondents' confidentiality.*

Indicator	State %	National %
<b>Child Health</b>		
CSHCN whose conditions consistently affect their activities, often a great deal	<b>25.2</b>	27.1
CSHCN with 11 or more days of school absences due to illness	<b>15.7</b>	15.5
<b>Core System Outcomes</b>		
CSHCN whose families partner in decision making regarding their child's health	<b>74.1</b>	70.3
CSHCN receive coordinated, ongoing, comprehensive care within a medical home	<b>47.1</b>	43.0
CSHCN with a usual source of care when sick	<b>91.7</b>	90.5
CSHCN with a personal doctor or nurse	<b>96.6</b>	93.1
CSHCN who receive family-centered care	<b>71.5</b>	64.6
Families of CSHCN have adequate private and/or public insurance to pay for the needed services	<b>62.2</b>	60.6
CSHCN with insurance for the entire past year	<b>94.4</b>	90.7
Currently insured CSHCN whose insurance is adequate	<b>66.4</b>	65.7
Children are screened early and continuously for special health care needs	<b>89.1</b>	78.6
Community-based services are organized so families can use them easily	<b>68.2</b>	65.1
CSHCN whose families had no difficulties or delays receiving services	<b>68.8</b>	65.9
CSHCN whose families are sometimes or never frustrated in obtaining services	<b>92.1</b>	90.2
Youth with special health care needs receive the services necessary to make transitions to adult health care	<b>46.6</b>	40.0
<b>Impact on the Family</b>		
CSHCN whose families pay \$1,000 or more out of pocket in medical expenses per year for the child	<b>25.7</b>	22.1
CSHCN whose conditions cause financial problems for the family	<b>19.1</b>	21.6
CSHCN whose families spend 11 or more hours per week providing or coordinating the child's health care	<b>11.5</b>	13.1
CSHCN whose conditions cause family members to cut back or stop working	<b>27.5</b>	25.0
CSHCN whose parents avoided changing jobs to maintain their child's health insurance	<b>16.1</b>	17.7

# Michigan

Estimated number of CSHCN: 430,222

All statistics are based on parental reports

Prevalence of CSHCN	State %	National %
Percent of children who have special health care needs	<b>18.4</b>	15.1
<b>Age</b>		
0–5 years	<b>9.7</b>	9.3
6–11 years	<b>22.8</b>	17.7
12–17 years	<b>21.9</b>	18.4
<b>Sex</b>		
Male	<b>21.7</b>	17.4
Female	<b>14.9</b>	12.7
<b>Poverty Level</b>		
0–99% FPL	<b>18.4</b>	16.0
100–199% FPL	<b>21.1</b>	15.4
200–399% FPL	<b>20.3</b>	14.5
400% FPL or more	<b>15.9</b>	14.7
<b>Hispanic Origin and Race</b>		
Non-Hispanic	<b>18.6</b>	16.2
White	<b>18.0</b>	16.3
Black	<b>20.8</b>	17.5
Asian	*	8.0
American Indian/Alaska Native	*	13.5
Native Hawaiian/Pacific Islander	*	12.3
Multiple races	*	17.9
Hispanic	<b>15.5</b>	11.2
Spanish language household	*	8.2
English language household	<b>12.4</b>	14.4

*\*Due to the small size of this group in the State population, data have been suppressed to protect respondents' confidentiality.*

Indicator	State %	National %
<b>Child Health</b>		
CSHCN whose conditions consistently affect their activities, often a great deal	<b>25.0</b>	27.1
CSHCN with 11 or more days of school absences due to illness	<b>15.1</b>	15.5
<b>Core System Outcomes</b>		
CSHCN whose families partner in decision making regarding their child's health	<b>74.5</b>	70.3
CSHCN receive coordinated, ongoing, comprehensive care within a medical home	<b>43.7</b>	43.0
CSHCN with a usual source of care when sick	<b>91.6</b>	90.5
CSHCN with a personal doctor or nurse	<b>93.5</b>	93.1
CSHCN who receive family-centered care	<b>66.0</b>	64.6
Families of CSHCN have adequate private and/or public insurance to pay for the needed services	<b>59.9</b>	60.6
CSHCN with insurance for the entire past year	<b>90.6</b>	90.7
Currently insured CSHCN whose insurance is adequate	<b>65.1</b>	65.7
Children are screened early and continuously for special health care needs	<b>79.3</b>	78.6
Community-based services are organized so families can use them easily	<b>71.7</b>	65.1
CSHCN whose families had no difficulties or delays receiving services	<b>71.9</b>	65.9
CSHCN whose families are sometimes or never frustrated in obtaining services	<b>94.1</b>	90.2
Youth with special health care needs receive the services necessary to make transitions to adult health care	<b>41.2</b>	40.0
<b>Impact on the Family</b>		
CSHCN whose families pay \$1,000 or more out of pocket in medical expenses per year for the child	<b>19.0</b>	22.1
CSHCN whose conditions cause financial problems for the family	<b>18.2</b>	21.6
CSHCN whose families spend 11 or more hours per week providing or coordinating the child's health care	<b>11.0</b>	13.1
CSHCN whose conditions cause family members to cut back or stop working	<b>23.3</b>	25.0
CSHCN whose parents avoided changing jobs to maintain their child's health insurance	<b>15.5</b>	17.7

# Minnesota

Estimated number of CSHCN: 179,162

All statistics are based on parental reports

Prevalence of CSHCN	State %	National %
Percent of children who have special health care needs	<b>14.3</b>	15.1
<b>Age</b>		
0–5 years	<b>7.8</b>	9.3
6–11 years	<b>16.0</b>	17.7
12–17 years	<b>19.3</b>	18.4
<b>Sex</b>		
Male	<b>16.8</b>	17.4
Female	<b>11.7</b>	12.7
<b>Poverty Level</b>		
0–99% FPL	<b>14.3</b>	16.0
100–199% FPL	<b>18.1</b>	15.4
200–399% FPL	<b>13.8</b>	14.5
400% FPL or more	<b>14.0</b>	14.7
<b>Hispanic Origin and Race</b>		
Non-Hispanic	<b>14.3</b>	16.2
White	<b>14.2</b>	16.3
Black	<b>16.0</b>	17.5
Asian	<b>7.9</b>	8.0
American Indian/Alaska Native	*	13.5
Native Hawaiian/Pacific Islander	*	12.3
Multiple races	*	17.9
Hispanic	<b>13.4</b>	11.2
Spanish language household	*	8.2
English language household	<b>23.7</b>	14.4

*\*Due to the small size of this group in the State population, data have been suppressed to protect respondents' confidentiality.*

Indicator	State %	National %
<b>Child Health</b>		
CSHCN whose conditions consistently affect their activities, often a great deal	<b>19.1</b>	27.1
CSHCN with 11 or more days of school absences due to illness	<b>10.8</b>	15.5
<b>Core System Outcomes</b>		
CSHCN whose families partner in decision making regarding their child's health	<b>76.3</b>	70.3
CSHCN receive coordinated, ongoing, comprehensive care within a medical home	<b>48.0</b>	43.0
CSHCN with a usual source of care when sick	<b>90.7</b>	90.5
CSHCN with a personal doctor or nurse	<b>92.0</b>	93.1
CSHCN who receive family-centered care	<b>70.9</b>	64.6
Families of CSHCN have adequate private and/or public insurance to pay for the needed services	<b>62.5</b>	60.6
CSHCN with insurance for the entire past year	<b>89.4</b>	90.7
Currently insured CSHCN whose insurance is adequate	<b>67.3</b>	65.7
Children are screened early and continuously for special health care needs	<b>75.0</b>	78.6
Community-based services are organized so families can use them easily	<b>69.5</b>	65.1
CSHCN whose families had no difficulties or delays receiving services	<b>69.6</b>	65.9
CSHCN whose families are sometimes or never frustrated in obtaining services	<b>93.6</b>	90.2
Youth with special health care needs receive the services necessary to make transitions to adult health care	<b>47.1</b>	40.0
<b>Impact on the Family</b>		
CSHCN whose families pay \$1,000 or more out of pocket in medical expenses per year for the child	<b>30.1</b>	22.1
CSHCN whose conditions cause financial problems for the family	<b>23.1</b>	21.6
CSHCN whose families spend 11 or more hours per week providing or coordinating the child's health care	<b>11.4</b>	13.1
CSHCN whose conditions cause family members to cut back or stop working	<b>23.6</b>	25.0
CSHCN whose parents avoided changing jobs to maintain their child's health insurance	<b>22.1</b>	17.7

# Mississippi

Estimated number of CSHCN: 124,905

All statistics are based on parental reports

Prevalence of CSHCN	State %	National %
Percent of children who have special health care needs	<b>16.4</b>	15.1
<b>Age</b>		
0–5 years	<b>10.6</b>	9.3
6–11 years	<b>19.5</b>	17.7
12–17 years	<b>19.2</b>	18.4
<b>Sex</b>		
Male	<b>18.8</b>	17.4
Female	<b>13.8</b>	12.7
<b>Poverty Level</b>		
0–99% FPL	<b>16.4</b>	16.0
100–199% FPL	<b>20.2</b>	15.4
200–399% FPL	<b>17.5</b>	14.5
400% FPL or more	<b>12.7</b>	14.7
<b>Hispanic Origin and Race</b>		
Non-Hispanic	<b>16.5</b>	16.2
White	<b>14.6</b>	16.3
Black	<b>18.3</b>	17.5
Asian	*	8.0
American Indian/Alaska Native	*	13.5
Native Hawaiian/Pacific Islander	*	12.3
Multiple races	*	17.9
Hispanic	<b>11.8</b>	11.2
Spanish language household	*	8.2
English language household	<b>18.6</b>	14.4

*\*Due to the small size of this group in the State population, data have been suppressed to protect respondents' confidentiality.*

Indicator	State %	National %
<b>Child Health</b>		
CSHCN whose conditions consistently affect their activities, often a great deal	<b>28.4</b>	27.1
CSHCN with 11 or more days of school absences due to illness	<b>16.1</b>	15.5
<b>Core System Outcomes</b>		
CSHCN whose families partner in decision making regarding their child's health	<b>68.7</b>	70.3
CSHCN receive coordinated, ongoing, comprehensive care within a medical home	<b>36.8</b>	43.0
CSHCN with a usual source of care when sick	<b>87.5</b>	90.5
CSHCN with a personal doctor or nurse	<b>92.0</b>	93.1
CSHCN who receive family-centered care	<b>55.8</b>	64.6
Families of CSHCN have adequate private and/or public insurance to pay for the needed services	<b>57.4</b>	60.6
CSHCN with insurance for the entire past year	<b>87.3</b>	90.7
Currently insured CSHCN whose insurance is adequate	<b>64.2</b>	65.7
Children are screened early and continuously for special health care needs	<b>74.1</b>	78.6
Community-based services are organized so families can use them easily	<b>65.4</b>	65.1
CSHCN whose families had no difficulties or delays receiving services	<b>66.6</b>	65.9
CSHCN whose families are sometimes or never frustrated in obtaining services	<b>90.2</b>	90.2
Youth with special health care needs receive the services necessary to make transitions to adult health care	<b>38.5</b>	40.0
<b>Impact on the Family</b>		
CSHCN whose families pay \$1,000 or more out of pocket in medical expenses per year for the child	<b>14.6</b>	22.1
CSHCN whose conditions cause financial problems for the family	<b>21.0</b>	21.6
CSHCN whose families spend 11 or more hours per week providing or coordinating the child's health care	<b>19.5</b>	13.1
CSHCN whose conditions cause family members to cut back or stop working	<b>21.9</b>	25.0
CSHCN whose parents avoided changing jobs to maintain their child's health insurance	<b>11.0</b>	17.7



# Missouri

Estimated number of CSHCN: 252,734

All statistics are based on parental reports

Prevalence of CSHCN	State %	National %
Percent of children who have special health care needs	<b>17.7</b>	15.1
<b>Age</b>		
0–5 years	<b>11.4</b>	9.3
6–11 years	<b>21.9</b>	17.7
12–17 years	<b>20.0</b>	18.4
<b>Sex</b>		
Male	<b>19.9</b>	17.4
Female	<b>15.5</b>	12.7
<b>Poverty Level</b>		
0–99% FPL	<b>17.7</b>	16.0
100–199% FPL	<b>18.9</b>	15.4
200–399% FPL	<b>20.7</b>	14.5
400% FPL or more	<b>15.3</b>	14.7
<b>Hispanic Origin and Race</b>		
Non-Hispanic	<b>18.0</b>	16.2
White	<b>17.7</b>	16.3
Black	<b>19.9</b>	17.5
Asian	*	8.0
American Indian/Alaska Native	*	13.5
Native Hawaiian/Pacific Islander	*	12.3
Multiple races	*	17.9
Hispanic	<b>13.4</b>	11.2
Spanish language household	*	8.2
English language household	<b>22.2</b>	14.4

*\*Due to the small size of this group in the State population, data have been suppressed to protect respondents' confidentiality.*

Indicator	State %	National %
<b>Child Health</b>		
CSHCN whose conditions consistently affect their activities, often a great deal	<b>27.9</b>	27.1
CSHCN with 11 or more days of school absences due to illness	<b>15.7</b>	15.5
<b>Core System Outcomes</b>		
CSHCN whose families partner in decision making regarding their child's health	<b>72.5</b>	70.3
CSHCN receive coordinated, ongoing, comprehensive care within a medical home	<b>44.9</b>	43.0
CSHCN with a usual source of care when sick	<b>87.9</b>	90.5
CSHCN with a personal doctor or nurse	<b>92.9</b>	93.1
CSHCN who receive family-centered care	<b>66.1</b>	64.6
Families of CSHCN have adequate private and/or public insurance to pay for the needed services	<b>62.7</b>	60.6
CSHCN with insurance for the entire past year	<b>92.1</b>	90.7
Currently insured CSHCN whose insurance is adequate	<b>67.4</b>	65.7
Children are screened early and continuously for special health care needs	<b>73.7</b>	78.6
Community-based services are organized so families can use them easily	<b>65.5</b>	65.1
CSHCN whose families had no difficulties or delays receiving services	<b>65.2</b>	65.9
CSHCN whose families are sometimes or never frustrated in obtaining services	<b>90.1</b>	90.2
Youth with special health care needs receive the services necessary to make transitions to adult health care	<b>40.3</b>	40.0
<b>Impact on the Family</b>		
CSHCN whose families pay \$1,000 or more out of pocket in medical expenses per year for the child	<b>20.7</b>	22.1
CSHCN whose conditions cause financial problems for the family	<b>19.7</b>	21.6
CSHCN whose families spend 11 or more hours per week providing or coordinating the child's health care	<b>14.0</b>	13.1
CSHCN whose conditions cause family members to cut back or stop working	<b>22.9</b>	25.0
CSHCN whose parents avoided changing jobs to maintain their child's health insurance	<b>13.8</b>	17.7

# Montana

Estimated number of CSHCN: 30,571

All statistics are based on parental reports

Prevalence of CSHCN	State %	National %
Percent of children who have special health care needs	<b>14.0</b>	15.1
<b>Age</b>		
0–5 years	<b>7.6</b>	9.3
6–11 years	<b>15.9</b>	17.7
12–17 years	<b>18.2</b>	18.4
<b>Sex</b>		
Male	<b>16.0</b>	17.4
Female	<b>11.9</b>	12.7
<b>Poverty Level</b>		
0–99% FPL	<b>14.0</b>	16.0
100–199% FPL	<b>16.1</b>	15.4
200–399% FPL	<b>15.8</b>	14.5
400% FPL or more	<b>12.3</b>	14.7
<b>Hispanic Origin and Race</b>		
Non-Hispanic	<b>13.9</b>	16.2
White	<b>13.6</b>	16.3
Black	<b>29.3</b>	17.5
Asian	*	8.0
American Indian/Alaska Native	<b>13.9</b>	13.5
Native Hawaiian/Pacific Islander	*	12.3
Multiple races	*	17.9
Hispanic	<b>16.3</b>	11.2
Spanish language household	*	8.2
English language household	<b>17.3</b>	14.4

*\*Due to the small size of this group in the State population, data have been suppressed to protect respondents' confidentiality.*

Indicator	State %	National %
<b>Child Health</b>		
CSHCN whose conditions consistently affect their activities, often a great deal	<b>30.6</b>	27.1
CSHCN with 11 or more days of school absences due to illness	<b>22.3</b>	15.5
<b>Core System Outcomes</b>		
CSHCN whose families partner in decision making regarding their child's health	<b>72.9</b>	70.3
CSHCN receive coordinated, ongoing, comprehensive care within a medical home	<b>39.1</b>	43.0
CSHCN with a usual source of care when sick	<b>89.5</b>	90.5
CSHCN with a personal doctor or nurse	<b>86.6</b>	93.1
CSHCN who receive family-centered care	<b>64.3</b>	64.6
Families of CSHCN have adequate private and/or public insurance to pay for the needed services	<b>53.3</b>	60.6
CSHCN with insurance for the entire past year	<b>83.9</b>	90.7
Currently insured CSHCN whose insurance is adequate	<b>62.6</b>	65.7
Children are screened early and continuously for special health care needs	<b>70.6</b>	78.6
Community-based services are organized so families can use them easily	<b>54.3</b>	65.1
CSHCN whose families had no difficulties or delays receiving services	<b>55.0</b>	65.9
CSHCN whose families are sometimes or never frustrated in obtaining services	<b>81.5</b>	90.2
Youth with special health care needs receive the services necessary to make transitions to adult health care	<b>48.6</b>	40.0
<b>Impact on the Family</b>		
CSHCN whose families pay \$1,000 or more out of pocket in medical expenses per year for the child	<b>31.3</b>	22.1
CSHCN whose conditions cause financial problems for the family	<b>29.8</b>	21.6
CSHCN whose families spend 11 or more hours per week providing or coordinating the child's health care	<b>13.2</b>	13.1
CSHCN whose conditions cause family members to cut back or stop working	<b>23.1</b>	25.0
CSHCN whose parents avoided changing jobs to maintain their child's health insurance	<b>20.4</b>	17.7

# Nebraska

Estimated number of CSHCN: 61,071

All statistics are based on parental reports

Prevalence of CSHCN	State %	National %
Percent of children who have special health care needs	<b>13.7</b>	15.1
<b>Age</b>		
0–5 years	<b>6.5</b>	9.3
6–11 years	<b>16.9</b>	17.7
12–17 years	<b>18.5</b>	18.4
<b>Sex</b>		
Male	<b>15.9</b>	17.4
Female	<b>11.4</b>	12.7
<b>Poverty Level</b>		
0–99% FPL	<b>13.7</b>	16.0
100–199% FPL	<b>14.1</b>	15.4
200–399% FPL	<b>14.9</b>	14.5
400% FPL or more	<b>12.8</b>	14.7
<b>Hispanic Origin and Race</b>		
Non-Hispanic	<b>14.3</b>	16.2
White	<b>14.4</b>	16.3
Black	<b>14.0</b>	17.5
Asian	*	8.0
American Indian/Alaska Native	*	13.5
Native Hawaiian/Pacific Islander	*	12.3
Multiple races	*	17.9
Hispanic	<b>9.9</b>	11.2
Spanish language household	<b>4.1</b>	8.2
English language household	<b>16.4</b>	14.4

*\*Due to the small size of this group in the State population, data have been suppressed to protect respondents' confidentiality.*

Indicator	State %	National %
<b>Child Health</b>		
CSHCN whose conditions consistently affect their activities, often a great deal	<b>19.8</b>	27.1
CSHCN with 11 or more days of school absences due to illness	<b>15.9</b>	15.5
<b>Core System Outcomes</b>		
CSHCN whose families partner in decision making regarding their child's health	<b>75.6</b>	70.3
CSHCN receive coordinated, ongoing, comprehensive care within a medical home	<b>48.2</b>	43.0
CSHCN with a usual source of care when sick	<b>91.0</b>	90.5
CSHCN with a personal doctor or nurse	<b>94.0</b>	93.1
CSHCN who receive family-centered care	<b>67.9</b>	64.6
Families of CSHCN have adequate private and/or public insurance to pay for the needed services	<b>59.7</b>	60.6
CSHCN with insurance for the entire past year	<b>91.0</b>	90.7
Currently insured CSHCN whose insurance is adequate	<b>64.9</b>	65.7
Children are screened early and continuously for special health care needs	<b>75.0</b>	78.6
Community-based services are organized so families can use them easily	<b>70.7</b>	65.1
CSHCN whose families had no difficulties or delays receiving services	<b>71.5</b>	65.9
CSHCN whose families are sometimes or never frustrated in obtaining services	<b>92.8</b>	90.2
Youth with special health care needs receive the services necessary to make transitions to adult health care	<b>47.6</b>	40.0
<b>Impact on the Family</b>		
CSHCN whose families pay \$1,000 or more out of pocket in medical expenses per year for the child	<b>27.2</b>	22.1
CSHCN whose conditions cause financial problems for the family	<b>22.6</b>	21.6
CSHCN whose families spend 11 or more hours per week providing or coordinating the child's health care	<b>8.9</b>	13.1
CSHCN whose conditions cause family members to cut back or stop working	<b>17.8</b>	25.0
CSHCN whose parents avoided changing jobs to maintain their child's health insurance	<b>17.2</b>	17.7

# Nevada

Estimated number of CSHCN: 82,108

All statistics are based on parental reports

Prevalence of CSHCN	State %	National %
Percent of children who have special health care needs	<b>12.0</b>	15.1
<b>Age</b>		
0–5 years	<b>6.9</b>	9.3
6–11 years	<b>13.6</b>	17.7
12–17 years	<b>16.1</b>	18.4
<b>Sex</b>		
Male	<b>14.2</b>	17.4
Female	<b>9.8</b>	12.7
<b>Poverty Level</b>		
0–99% FPL	<b>12.0</b>	16.0
100–199% FPL	<b>9.4</b>	15.4
200–399% FPL	<b>13.5</b>	14.5
400% FPL or more	<b>13.2</b>	14.7
<b>Hispanic Origin and Race</b>		
Non-Hispanic	<b>14.5</b>	16.2
White	<b>15.7</b>	16.3
Black	<b>13.1</b>	17.5
Asian	<b>6.3</b>	8.0
American Indian/Alaska Native	*	13.5
Native Hawaiian/Pacific Islander	*	12.3
Multiple races	*	17.9
Hispanic	<b>8.3</b>	11.2
Spanish language household	<b>6.2</b>	8.2
English language household	<b>11.2</b>	14.4

*\*Due to the small size of this group in the State population, data have been suppressed to protect respondents' confidentiality.*

Indicator	State %	National %
<b>Child Health</b>		
CSHCN whose conditions consistently affect their activities, often a great deal	<b>29.3</b>	27.1
CSHCN with 11 or more days of school absences due to illness	<b>15.9</b>	15.5
<b>Core System Outcomes</b>		
CSHCN whose families partner in decision making regarding their child's health	<b>64.0</b>	70.3
CSHCN receive coordinated, ongoing, comprehensive care within a medical home	<b>36.8</b>	43.0
CSHCN with a usual source of care when sick	<b>89.0</b>	90.5
CSHCN with a personal doctor or nurse	<b>88.3</b>	93.1
CSHCN who receive family-centered care	<b>57.7</b>	64.6
Families of CSHCN have adequate private and/or public insurance to pay for the needed services	<b>55.2</b>	60.6
CSHCN with insurance for the entire past year	<b>84.0</b>	90.7
Currently insured CSHCN whose insurance is adequate	<b>61.9</b>	65.7
Children are screened early and continuously for special health care needs	<b>69.7</b>	78.6
Community-based services are organized so families can use them easily	<b>57.2</b>	65.1
CSHCN whose families had no difficulties or delays receiving services	<b>57.1</b>	65.9
CSHCN whose families are sometimes or never frustrated in obtaining services	<b>88.0</b>	90.2
Youth with special health care needs receive the services necessary to make transitions to adult health care	<b>31.7</b>	40.0
<b>Impact on the Family</b>		
CSHCN whose families pay \$1,000 or more out of pocket in medical expenses per year for the child	<b>26.5</b>	22.1
CSHCN whose conditions cause financial problems for the family	<b>25.4</b>	21.6
CSHCN whose families spend 11 or more hours per week providing or coordinating the child's health care	<b>15.3</b>	13.1
CSHCN whose conditions cause family members to cut back or stop working	<b>28.3</b>	25.0
CSHCN whose parents avoided changing jobs to maintain their child's health insurance	<b>21.1</b>	17.7

# New Hampshire

Estimated number of CSHCN: 54,569

All statistics are based on parental reports

Prevalence of CSHCN	State %	National %
Percent of children who have special health care needs	<b>19.0</b>	15.1
<b>Age</b>		
0–5 years	<b>11.8</b>	9.3
6–11 years	<b>18.6</b>	17.7
12–17 years	<b>25.3</b>	18.4
<b>Sex</b>		
Male	<b>22.0</b>	17.4
Female	<b>16.0</b>	12.7
<b>Poverty Level</b>		
0–99% FPL	<b>19.0</b>	16.0
100–199% FPL	<b>24.2</b>	15.4
200–399% FPL	<b>23.6</b>	14.5
400% FPL or more	<b>17.8</b>	14.7
<b>Hispanic Origin and Race</b>		
Non-Hispanic	<b>19.0</b>	16.2
White	<b>18.6</b>	16.3
Black	<b>**</b>	17.5
Asian	<b>*</b>	8.0
American Indian/Alaska Native	<b>*</b>	13.5
Native Hawaiian/Pacific Islander	<b>*</b>	12.3
Multiple races	<b>*</b>	17.9
Hispanic	<b>18.5</b>	11.2
Spanish language household	<b>*</b>	8.2
English language household	<b>20.7</b>	14.4

*\*Due to the small size of this group in the State population, data have been suppressed to protect respondents' confidentiality.*

*\*\*Estimate suppressed as it does not meet the standard for reliability or precision.*

Indicator	State %	National %
<b>Child Health</b>		
CSHCN whose conditions consistently affect their activities, often a great deal	<b>21.5</b>	27.1
CSHCN with 11 or more days of school absences due to illness	<b>15.5</b>	15.5
<b>Core System Outcomes</b>		
CSHCN whose families partner in decision making regarding their child's health	<b>74.9</b>	70.3
CSHCN receive coordinated, ongoing, comprehensive care within a medical home	<b>49.4</b>	43.0
CSHCN with a usual source of care when sick	<b>93.7</b>	90.5
CSHCN with a personal doctor or nurse	<b>96.1</b>	93.1
CSHCN who receive family-centered care	<b>70.1</b>	64.6
Families of CSHCN have adequate private and/or public insurance to pay for the needed services	<b>66.2</b>	60.6
CSHCN with insurance for the entire past year	<b>93.2</b>	90.7
Currently insured CSHCN whose insurance is adequate	<b>71.1</b>	65.7
Children are screened early and continuously for special health care needs	<b>87.4</b>	78.6
Community-based services are organized so families can use them easily	<b>67.0</b>	65.1
CSHCN whose families had no difficulties or delays receiving services	<b>67.8</b>	65.9
CSHCN whose families are sometimes or never frustrated in obtaining services	<b>92.3</b>	90.2
Youth with special health care needs receive the services necessary to make transitions to adult health care	<b>49.0</b>	40.0
<b>Impact on the Family</b>		
CSHCN whose families pay \$1,000 or more out of pocket in medical expenses per year for the child	<b>23.6</b>	22.1
CSHCN whose conditions cause financial problems for the family	<b>19.6</b>	21.6
CSHCN whose families spend 11 or more hours per week providing or coordinating the child's health care	<b>9.3</b>	13.1
CSHCN whose conditions cause family members to cut back or stop working	<b>23.0</b>	25.0
CSHCN whose parents avoided changing jobs to maintain their child's health insurance	<b>19.8</b>	17.7

# New Jersey

Estimated number of CSHCN: 294,346

All statistics are based on parental reports

Prevalence of CSHCN	State %	National %
Percent of children who have special health care needs	<b>14.4</b>	15.1
<b>Age</b>		
0–5 years	<b>9.6</b>	9.3
6–11 years	<b>15.8</b>	17.7
12–17 years	<b>17.6</b>	18.4
<b>Sex</b>		
Male	<b>17.4</b>	17.4
Female	<b>11.4</b>	12.7
<b>Poverty Level</b>		
0–99% FPL	<b>14.4</b>	16.0
100–199% FPL	<b>15.0</b>	15.4
200–399% FPL	<b>14.1</b>	14.5
400% FPL or more	<b>14.8</b>	14.7
<b>Hispanic Origin and Race</b>		
Non-Hispanic	<b>14.7</b>	16.2
White	<b>15.3</b>	16.3
Black	<b>15.9</b>	17.5
Asian	<b>7.9</b>	8.0
American Indian/Alaska Native	*	13.5
Native Hawaiian/Pacific Islander	*	12.3
Multiple races	*	17.9
Hispanic	<b>13.4</b>	11.2
Spanish language household	<b>8.0</b>	8.2
English language household	<b>18.6</b>	14.4

*\*Due to the small size of this group in the State population, data have been suppressed to protect respondents' confidentiality.*

Indicator	State %	National %
<b>Child Health</b>		
CSHCN whose conditions consistently affect their activities, often a great deal	<b>24.5</b>	27.1
CSHCN with 11 or more days of school absences due to illness	<b>16.1</b>	15.5
<b>Core System Outcomes</b>		
CSHCN whose families partner in decision making regarding their child's health	<b>69.2</b>	70.3
CSHCN receive coordinated, ongoing, comprehensive care within a medical home	<b>38.3</b>	43.0
CSHCN with a usual source of care when sick	<b>89.7</b>	90.5
CSHCN with a personal doctor or nurse	<b>93.4</b>	93.1
CSHCN who receive family-centered care	<b>64.5</b>	64.6
Families of CSHCN have adequate private and/or public insurance to pay for the needed services	<b>54.9</b>	60.6
CSHCN with insurance for the entire past year	<b>93.2</b>	90.7
Currently insured CSHCN whose insurance is adequate	<b>58.3</b>	65.7
Children are screened early and continuously for special health care needs	<b>83.8</b>	78.6
Community-based services are organized so families can use them easily	<b>62.3</b>	65.1
CSHCN whose families had no difficulties or delays receiving services	<b>63.0</b>	65.9
CSHCN whose families are sometimes or never frustrated in obtaining services	<b>92.6</b>	90.2
Youth with special health care needs receive the services necessary to make transitions to adult health care	<b>41.8</b>	40.0
<b>Impact on the Family</b>		
CSHCN whose families pay \$1,000 or more out of pocket in medical expenses per year for the child	<b>29.8</b>	22.1
CSHCN whose conditions cause financial problems for the family	<b>20.3</b>	21.6
CSHCN whose families spend 11 or more hours per week providing or coordinating the child's health care	<b>11.3</b>	13.1
CSHCN whose conditions cause family members to cut back or stop working	<b>24.6</b>	25.0
CSHCN whose parents avoided changing jobs to maintain their child's health insurance	<b>23.0</b>	17.7



# New Mexico

Estimated number of CSHCN: 70,725

All statistics are based on parental reports

Prevalence of CSHCN	State %	National %
Percent of children who have special health care needs	<b>13.8</b>	15.1
<b>Age</b>		
0–5 years	<b>8.6</b>	9.3
6–11 years	<b>15.3</b>	17.7
12–17 years	<b>17.9</b>	18.4
<b>Sex</b>		
Male	<b>15.9</b>	17.4
Female	<b>11.7</b>	12.7
<b>Poverty Level</b>		
0–99% FPL	<b>13.8</b>	16.0
100–199% FPL	<b>14.1</b>	15.4
200–399% FPL	<b>13.9</b>	14.5
400% FPL or more	<b>12.4</b>	14.7
<b>Hispanic Origin and Race</b>		
Non-Hispanic	<b>15.1</b>	16.2
White	<b>17.1</b>	16.3
Black	<b>**</b>	17.5
Asian	<b>*</b>	8.0
American Indian/Alaska Native	<b>9.9</b>	13.5
Native Hawaiian/Pacific Islander	<b>*</b>	12.3
Multiple races	<b>*</b>	17.9
Hispanic	<b>12.7</b>	11.2
Spanish language household	<b>8.5</b>	8.2
English language household	<b>14.7</b>	14.4

*\*Due to the small size of this group in the State population, data have been suppressed to protect respondents' confidentiality.*

*\*\*Estimate suppressed as it does not meet the standard for reliability or precision.*

Indicator	State %	National %
<b>Child Health</b>		
CSHCN whose conditions consistently affect their activities, often a great deal	<b>26.8</b>	27.1
CSHCN with 11 or more days of school absences due to illness	<b>17.5</b>	15.5
<b>Core System Outcomes</b>		
CSHCN whose families partner in decision making regarding their child's health	<b>67.9</b>	70.3
CSHCN receive coordinated, ongoing, comprehensive care within a medical home	<b>34.9</b>	43.0
CSHCN with a usual source of care when sick	<b>89.6</b>	90.5
CSHCN with a personal doctor or nurse	<b>90.3</b>	93.1
CSHCN who receive family-centered care	<b>60.0</b>	64.6
Families of CSHCN have adequate private and/or public insurance to pay for the needed services	<b>60.6</b>	60.6
CSHCN with insurance for the entire past year	<b>90.0</b>	90.7
Currently insured CSHCN whose insurance is adequate	<b>65.9</b>	65.7
Children are screened early and continuously for special health care needs	<b>77.0</b>	78.6
Community-based services are organized so families can use them easily	<b>55.5</b>	65.1
CSHCN whose families had no difficulties or delays receiving services	<b>55.7</b>	65.9
CSHCN whose families are sometimes or never frustrated in obtaining services	<b>89.6</b>	90.2
Youth with special health care needs receive the services necessary to make transitions to adult health care	<b>35.7</b>	40.0
<b>Impact on the Family</b>		
CSHCN whose families pay \$1,000 or more out of pocket in medical expenses per year for the child	<b>18.0</b>	22.1
CSHCN whose conditions cause financial problems for the family	<b>23.2</b>	21.6
CSHCN whose families spend 11 or more hours per week providing or coordinating the child's health care	<b>14.7</b>	13.1
CSHCN whose conditions cause family members to cut back or stop working	<b>28.7</b>	25.0
CSHCN whose parents avoided changing jobs to maintain their child's health insurance	<b>18.5</b>	17.7

# New York

Estimated number of CSHCN: 660,565

All statistics are based on parental reports

Prevalence of CSHCN	State %	National %
Percent of children who have special health care needs	<b>15.0</b>	15.1
<b>Age</b>		
0–5 years	<b>9.5</b>	9.3
6–11 years	<b>17.8</b>	17.7
12–17 years	<b>17.5</b>	18.4
<b>Sex</b>		
Male	<b>17.4</b>	17.4
Female	<b>12.4</b>	12.7
<b>Poverty Level</b>		
0–99% FPL	<b>15.0</b>	16.0
100–199% FPL	<b>17.4</b>	15.4
200–399% FPL	<b>15.3</b>	14.5
400% FPL or more	<b>12.9</b>	14.7
<b>Hispanic Origin and Race</b>		
Non-Hispanic	<b>15.3</b>	16.2
White	<b>16.2</b>	16.3
Black	<b>15.6</b>	17.5
Asian	<b>6.5</b>	8.0
American Indian/Alaska Native	*	13.5
Native Hawaiian/Pacific Islander	*	12.3
Multiple races	*	17.9
Hispanic	<b>13.9</b>	11.2
Spanish language household	<b>8.9</b>	8.2
English language household	<b>18.3</b>	14.4

*\*Due to the small size of this group in the State population, data have been suppressed to protect respondents' confidentiality.*

Indicator	State %	National %
<b>Child Health</b>		
CSHCN whose conditions consistently affect their activities, often a great deal	<b>28.1</b>	27.1
CSHCN with 11 or more days of school absences due to illness	<b>17.0</b>	15.5
<b>Core System Outcomes</b>		
CSHCN whose families partner in decision making regarding their child's health	<b>64.4</b>	70.3
CSHCN receive coordinated, ongoing, comprehensive care within a medical home	<b>38.4</b>	43.0
CSHCN with a usual source of care when sick	<b>92.0</b>	90.5
CSHCN with a personal doctor or nurse	<b>94.7</b>	93.1
CSHCN who receive family-centered care	<b>56.9</b>	64.6
Families of CSHCN have adequate private and/or public insurance to pay for the needed services	<b>56.8</b>	60.6
CSHCN with insurance for the entire past year	<b>91.7</b>	90.7
Currently insured CSHCN whose insurance is adequate	<b>62.0</b>	65.7
Children are screened early and continuously for special health care needs	<b>82.8</b>	78.6
Community-based services are organized so families can use them easily	<b>65.6</b>	65.1
CSHCN whose families had no difficulties or delays receiving services	<b>66.7</b>	65.9
CSHCN whose families are sometimes or never frustrated in obtaining services	<b>89.5</b>	90.2
Youth with special health care needs receive the services necessary to make transitions to adult health care	<b>39.7</b>	40.0
<b>Impact on the Family</b>		
CSHCN whose families pay \$1,000 or more out of pocket in medical expenses per year for the child	<b>18.0</b>	22.1
CSHCN whose conditions cause financial problems for the family	<b>17.6</b>	21.6
CSHCN whose families spend 11 or more hours per week providing or coordinating the child's health care	<b>14.4</b>	13.1
CSHCN whose conditions cause family members to cut back or stop working	<b>26.7</b>	25.0
CSHCN whose parents avoided changing jobs to maintain their child's health insurance	<b>13.6</b>	17.7

# North Carolina

Estimated number of CSHCN: 389,439

All statistics are based on parental reports

Prevalence of CSHCN	State %	National %
Percent of children who have special health care needs	<b>17.2</b>	15.1
<b>Age</b>		
0–5 years	<b>10.5</b>	9.3
6–11 years	<b>20.5</b>	17.7
12–17 years	<b>20.8</b>	18.4
<b>Sex</b>		
Male	<b>20.8</b>	17.4
Female	<b>13.5</b>	12.7
<b>Poverty Level</b>		
0–99% FPL	<b>17.2</b>	16.0
100–199% FPL	<b>17.1</b>	15.4
200–399% FPL	<b>20.4</b>	14.5
400% FPL or more	<b>15.2</b>	14.7
<b>Hispanic Origin and Race</b>		
Non-Hispanic	<b>18.0</b>	16.2
White	<b>18.4</b>	16.3
Black	<b>17.8</b>	17.5
Asian	*	8.0
American Indian/Alaska Native	*	13.5
Native Hawaiian/Pacific Islander	*	12.3
Multiple races	*	17.9
Hispanic	<b>11.5</b>	11.2
Spanish language household	<b>7.6</b>	8.2
English language household	<b>18.7</b>	14.4

*\*Due to the small size of this group in the State population, data have been suppressed to protect respondents' confidentiality.*

Indicator	State %	National %
<b>Child Health</b>		
CSHCN whose conditions consistently affect their activities, often a great deal	<b>24.6</b>	27.1
CSHCN with 11 or more days of school absences due to illness	<b>14.9</b>	15.5
<b>Core System Outcomes</b>		
CSHCN whose families partner in decision making regarding their child's health	<b>74.6</b>	70.3
CSHCN receive coordinated, ongoing, comprehensive care within a medical home	<b>45.1</b>	43.0
CSHCN with a usual source of care when sick	<b>92.6</b>	90.5
CSHCN with a personal doctor or nurse	<b>91.2</b>	93.1
CSHCN who receive family-centered care	<b>66.6</b>	64.6
Families of CSHCN have adequate private and/or public insurance to pay for the needed services	<b>58.47</b>	60.6
CSHCN with insurance for the entire past year	<b>90.4</b>	90.7
Currently insured CSHCN whose insurance is adequate	<b>63.7</b>	65.7
Children are screened early and continuously for special health care needs	<b>78.7</b>	78.6
Community-based services are organized so families can use them easily	<b>70.3</b>	65.1
CSHCN whose families had no difficulties or delays receiving services	<b>71.1</b>	65.9
CSHCN whose families are sometimes or never frustrated in obtaining services	<b>92.1</b>	90.2
Youth with special health care needs receive the services necessary to make transitions to adult health care	<b>43.7</b>	40.0
<b>Impact on the Family</b>		
CSHCN whose families pay \$1,000 or more out of pocket in medical expenses per year for the child	<b>19.1</b>	22.1
CSHCN whose conditions cause financial problems for the family	<b>22.5</b>	21.6
CSHCN whose families spend 11 or more hours per week providing or coordinating the child's health care	<b>13.0</b>	13.1
CSHCN whose conditions cause family members to cut back or stop working	<b>22.6</b>	25.0
CSHCN whose parents avoided changing jobs to maintain their child's health insurance	<b>13.9</b>	17.7

# North Dakota

Estimated number of CSHCN: 19,748

All statistics are based on parental reports

Prevalence of CSHCN	State %	National %
Percent of children who have special health care needs	<b>13.9</b>	15.1
<b>Age</b>		
0–5 years	<b>7.5</b>	9.3
6–11 years	<b>15.6</b>	17.7
12–17 years	<b>19.0</b>	18.4
<b>Sex</b>		
Male	<b>17.0</b>	17.4
Female	<b>10.8</b>	12.7
<b>Poverty Level</b>		
0–99% FPL	<b>13.9</b>	16.0
100–199% FPL	<b>18.8</b>	15.4
200–399% FPL	<b>16.9</b>	14.5
400% FPL or more	<b>12.3</b>	14.7
<b>Hispanic Origin and Race</b>		
Non-Hispanic	<b>13.9</b>	16.2
White	<b>13.7</b>	16.3
Black	<b>**</b>	17.5
Asian	<b>*</b>	8.0
American Indian/Alaska Native	<b>13.8</b>	13.5
Native Hawaiian/Pacific Islander	<b>*</b>	12.3
Multiple races	<b>*</b>	17.9
Hispanic	<b>14.8</b>	11.2
Spanish language household	<b>*</b>	8.2
English language household	<b>15.7</b>	14.4

*\*Due to the small size of this group in the State population, data have been suppressed to protect respondents' confidentiality.*

*\*\*Estimate suppressed as it does not meet the standard for reliability or precision.*

Indicator	State %	National %
<b>Child Health</b>		
CSHCN whose conditions consistently affect their activities, often a great deal	<b>22.5</b>	27.1
CSHCN with 11 or more days of school absences due to illness	<b>10.9</b>	15.5
<b>Core System Outcomes</b>		
CSHCN whose families partner in decision making regarding their child's health	<b>75.0</b>	70.3
CSHCN receive coordinated, ongoing, comprehensive care within a medical home	<b>47.8</b>	43.0
CSHCN with a usual source of care when sick	<b>88.0</b>	90.5
CSHCN with a personal doctor or nurse	<b>95.5</b>	93.1
CSHCN who receive family-centered care	<b>68.5</b>	64.6
Families of CSHCN have adequate private and/or public insurance to pay for the needed services	<b>60.1</b>	60.6
CSHCN with insurance for the entire past year	<b>92.7</b>	90.7
Currently insured CSHCN whose insurance is adequate	<b>64.2</b>	65.7
Children are screened early and continuously for special health care needs	<b>66.8</b>	78.6
Community-based services are organized so families can use them easily	<b>67.9</b>	65.1
CSHCN whose families had no difficulties or delays receiving services	<b>67.6</b>	65.9
CSHCN whose families are sometimes or never frustrated in obtaining services	<b>93.0</b>	90.2
Youth with special health care needs receive the services necessary to make transitions to adult health care	<b>46.5</b>	40.0
<b>Impact on the Family</b>		
CSHCN whose families pay \$1,000 or more out of pocket in medical expenses per year for the child	<b>26.7</b>	22.1
CSHCN whose conditions cause financial problems for the family	<b>22.2</b>	21.6
CSHCN whose families spend 11 or more hours per week providing or coordinating the child's health care	<b>10.1</b>	13.1
CSHCN whose conditions cause family members to cut back or stop working	<b>21.6</b>	25.0
CSHCN whose parents avoided changing jobs to maintain their child's health insurance	<b>17.9</b>	17.7

# Ohio

Estimated number of CSHCN: 483,467

All statistics are based on parental reports

Prevalence of CSHCN	State %	National %
Percent of children who have special health care needs	<b>17.8</b>	15.1
<b>Age</b>		
0–5 years	<b>12.1</b>	9.3
6–11 years	<b>19.9</b>	17.7
12–17 years	<b>21.2</b>	18.4
<b>Sex</b>		
Male	<b>20.6</b>	17.4
Female	<b>15.1</b>	12.7
<b>Poverty Level</b>		
0–99% FPL	<b>17.8</b>	16.0
100–199% FPL	<b>23.0</b>	15.4
200–399% FPL	<b>19.9</b>	14.5
400% FPL or more	<b>15.1</b>	14.7
<b>Hispanic Origin and Race</b>		
Non-Hispanic	<b>17.8</b>	16.2
White	<b>17.0</b>	16.3
Black	<b>20.3</b>	17.5
Asian	*	8.0
American Indian/Alaska Native	*	13.5
Native Hawaiian/Pacific Islander	*	12.3
Multiple races	*	17.9
Hispanic	<b>19.3</b>	11.2
Spanish language household	*	8.2
English language household	<b>21.4</b>	14.4

*\*Due to the small size of this group in the State population, data have been suppressed to protect respondents' confidentiality.*

Indicator	State %	National %
<b>Child Health</b>		
CSHCN whose conditions consistently affect their activities, often a great deal	<b>30.7</b>	27.1
CSHCN with 11 or more days of school absences due to illness	<b>17.6</b>	15.5
<b>Core System Outcomes</b>		
CSHCN whose families partner in decision making regarding their child's health	<b>73.7</b>	70.3
CSHCN receive coordinated, ongoing, comprehensive care within a medical home	<b>46.4</b>	43.0
CSHCN with a usual source of care when sick	<b>91.6</b>	90.5
CSHCN with a personal doctor or nurse	<b>94.8</b>	93.1
CSHCN who receive family-centered care	<b>70.7</b>	64.6
Families of CSHCN have adequate private and/or public insurance to pay for the needed services	<b>64.8</b>	60.6
CSHCN with insurance for the entire past year	<b>92.8</b>	90.7
Currently insured CSHCN whose insurance is adequate	<b>68.4</b>	65.7
Children are screened early and continuously for special health care needs	<b>77.2</b>	78.6
Community-based services are organized so families can use them easily	<b>65.2</b>	65.1
CSHCN whose families had no difficulties or delays receiving services	<b>65.6</b>	65.9
CSHCN whose families are sometimes or never frustrated in obtaining services	<b>90.6</b>	90.2
Youth with special health care needs receive the services necessary to make transitions to adult health care	<b>35.6</b>	40.0
<b>Impact on the Family</b>		
CSHCN whose families pay \$1,000 or more out of pocket in medical expenses per year for the child	<b>20.2</b>	22.1
CSHCN whose conditions cause financial problems for the family	<b>18.3</b>	21.6
CSHCN whose families spend 11 or more hours per week providing or coordinating the child's health care	<b>15.2</b>	13.1
CSHCN whose conditions cause family members to cut back or stop working	<b>24.5</b>	25.0
CSHCN whose parents avoided changing jobs to maintain their child's health insurance	<b>19.7</b>	17.7

# Oklahoma

Estimated number of CSHCN: 161,799

All statistics are based on parental reports

Prevalence of CSHCN	State %	National %
Percent of children who have special health care needs	<b>17.6</b>	15.1
<b>Age</b>		
0–5 years	<b>10.9</b>	9.3
6–11 years	<b>20.8</b>	17.7
12–17 years	<b>21.7</b>	18.4
<b>Sex</b>		
Male	<b>20.4</b>	17.4
Female	<b>14.8</b>	12.7
<b>Poverty Level</b>		
0–99% FPL	<b>17.6</b>	16.0
100–199% FPL	<b>19.6</b>	15.4
200–399% FPL	<b>16.5</b>	14.5
400% FPL or more	<b>16.9</b>	14.7
<b>Hispanic Origin and Race</b>		
Non-Hispanic	<b>18.6</b>	16.2
White	<b>17.9</b>	16.3
Black	<b>19.9</b>	17.5
Asian	*	8.0
American Indian/Alaska Native	<b>18.8</b>	13.5
Native Hawaiian/Pacific Islander	*	12.3
Multiple races	*	17.9
Hispanic	<b>11.1</b>	11.2
Spanish language household	<b>6.7</b>	8.2
English language household	<b>16.1</b>	14.4

*\*Due to the small size of this group in the State population, data have been suppressed to protect respondents' confidentiality.*

Indicator	State %	National %
<b>Child Health</b>		
CSHCN whose conditions consistently affect their activities, often a great deal	<b>24.0</b>	27.1
CSHCN with 11 or more days of school absences due to illness	<b>16.4</b>	15.5
<b>Core System Outcomes</b>		
CSHCN whose families partner in decision making regarding their child's health	<b>69.9</b>	70.3
CSHCN receive coordinated, ongoing, comprehensive care within a medical home	<b>46.1</b>	43.0
CSHCN with a usual source of care when sick	<b>91.3</b>	90.5
CSHCN with a personal doctor or nurse	<b>89.4</b>	93.1
CSHCN who receive family-centered care	<b>66.8</b>	64.6
Families of CSHCN have adequate private and/or public insurance to pay for the needed services	<b>59.3</b>	60.6
CSHCN with insurance for the entire past year	<b>89.5</b>	90.7
Currently insured CSHCN whose insurance is adequate	<b>66.2</b>	65.7
Children are screened early and continuously for special health care needs	<b>73.2</b>	78.6
Community-based services are organized so families can use them easily	<b>65.7</b>	65.1
CSHCN whose families had no difficulties or delays receiving services	<b>65.5</b>	65.9
CSHCN whose families are sometimes or never frustrated in obtaining services	<b>92.9</b>	90.2
Youth with special health care needs receive the services necessary to make transitions to adult health care	<b>40.5</b>	40.0
<b>Impact on the Family</b>		
CSHCN whose families pay \$1,000 or more out of pocket in medical expenses per year for the child	<b>21.9</b>	22.1
CSHCN whose conditions cause financial problems for the family	<b>22.2</b>	21.6
CSHCN whose families spend 11 or more hours per week providing or coordinating the child's health care	<b>11.7</b>	13.1
CSHCN whose conditions cause family members to cut back or stop working	<b>21.0</b>	25.0
CSHCN whose parents avoided changing jobs to maintain their child's health insurance	<b>15.3</b>	17.7



# Oregon

Estimated number of CSHCN: 119,187

All statistics are based on parental reports

Prevalence of CSHCN	State %	National %
Percent of children who have special health care needs	<b>13.7</b>	15.1
<b>Age</b>		
0–5 years	<b>8.4</b>	9.3
6–11 years	<b>14.9</b>	17.7
12–17 years	<b>17.6</b>	18.4
<b>Sex</b>		
Male	<b>15.9</b>	17.4
Female	<b>11.4</b>	12.7
<b>Poverty Level</b>		
0–99% FPL	<b>13.7</b>	16.0
100–199% FPL	<b>12.7</b>	15.4
200–399% FPL	<b>14.8</b>	14.5
400% FPL or more	<b>13.8</b>	14.7
<b>Hispanic Origin and Race</b>		
Non-Hispanic	<b>14.6</b>	16.2
White	<b>14.6</b>	16.3
Black	<b>**</b>	17.5
Asian	<b>*</b>	8.0
American Indian/Alaska Native	<b>*</b>	13.5
Native Hawaiian/Pacific Islander	<b>*</b>	12.3
Multiple races	<b>*</b>	17.9
Hispanic	<b>10.0</b>	11.2
Spanish language household	<b>6.5</b>	8.2
English language household	<b>14.2</b>	14.4

*\*Due to the small size of this group in the State population, data have been suppressed to protect respondents' confidentiality.*

*\*\*Estimate suppressed as it does not meet the standard for reliability or precision.*

Indicator	State %	National %
<b>Child Health</b>		
CSHCN whose conditions consistently affect their activities, often a great deal	<b>29.3</b>	27.1
CSHCN with 11 or more days of school absences due to illness	<b>17.8</b>	15.5
<b>Core System Outcomes</b>		
CSHCN whose families partner in decision making regarding their child's health	<b>69.8</b>	70.3
CSHCN receive coordinated, ongoing, comprehensive care within a medical home	<b>41.1</b>	43.0
CSHCN with a usual source of care when sick	<b>93.0</b>	90.5
CSHCN with a personal doctor or nurse	<b>92.2</b>	93.1
CSHCN who receive family-centered care	<b>65.0</b>	64.6
Families of CSHCN have adequate private and/or public insurance to pay for the needed services	<b>55.8</b>	60.6
CSHCN with insurance for the entire past year	<b>88.4</b>	90.7
Currently insured CSHCN whose insurance is adequate	<b>61.4</b>	65.7
Children are screened early and continuously for special health care needs	<b>71.1</b>	78.6
Community-based services are organized so families can use them easily	<b>63.4</b>	65.1
CSHCN whose families had no difficulties or delays receiving services	<b>63.9</b>	65.9
CSHCN whose families are sometimes or never frustrated in obtaining services	<b>91.6</b>	90.2
Youth with special health care needs receive the services necessary to make transitions to adult health care	<b>35.6</b>	40.0
<b>Impact on the Family</b>		
CSHCN whose families pay \$1,000 or more out of pocket in medical expenses per year for the child	<b>24.7</b>	22.1
CSHCN whose conditions cause financial problems for the family	<b>22.7</b>	21.6
CSHCN whose families spend 11 or more hours per week providing or coordinating the child's health care	<b>10.0</b>	13.1
CSHCN whose conditions cause family members to cut back or stop working	<b>26.5</b>	25.0
CSHCN whose parents avoided changing jobs to maintain their child's health insurance	<b>19.3</b>	17.7

# Pennsylvania

Estimated number of CSHCN: 469,906

All statistics are based on parental reports

Prevalence of CSHCN	State %	National %
Percent of children who have special health care needs	<b>17.0</b>	15.1
<b>Age</b>		
0–5 years	<b>8.9</b>	9.3
6–11 years	<b>20.7</b>	17.7
12–17 years	<b>20.9</b>	18.4
<b>Sex</b>		
Male	<b>19.4</b>	17.4
Female	<b>14.5</b>	12.7
<b>Poverty Level</b>		
0–99% FPL	<b>17.0</b>	16.0
100–199% FPL	<b>20.3</b>	15.4
200–399% FPL	<b>17.7</b>	14.5
400% FPL or more	<b>15.6</b>	14.7
<b>Hispanic Origin and Race</b>		
Non-Hispanic	<b>16.7</b>	16.2
White	<b>17.1</b>	16.3
Black	<b>15.9</b>	17.5
Asian	*	8.0
American Indian/Alaska Native	*	13.5
Native Hawaiian/Pacific Islander	*	12.3
Multiple races	*	17.9
Hispanic	<b>20.4</b>	11.2
Spanish language household	<b>18.4</b>	8.2
English language household	<b>21.8</b>	14.4

*\*Due to the small size of this group in the State population, data have been suppressed to protect respondents' confidentiality.*

Indicator	State %	National %
<b>Child Health</b>		
CSHCN whose conditions consistently affect their activities, often a great deal	<b>25.0</b>	27.1
CSHCN with 11 or more days of school absences due to illness	<b>17.2</b>	15.5
<b>Core System Outcomes</b>		
CSHCN whose families partner in decision making regarding their child's health	<b>73.1</b>	70.3
CSHCN receive coordinated, ongoing, comprehensive care within a medical home	<b>48.0</b>	43.0
CSHCN with a usual source of care when sick	<b>92.7</b>	90.5
CSHCN with a personal doctor or nurse	<b>95.1</b>	93.1
CSHCN who receive family-centered care	<b>67.5</b>	64.6
Families of CSHCN have adequate private and/or public insurance to pay for the needed services	<b>69.0</b>	60.6
CSHCN with insurance for the entire past year	<b>93.2</b>	90.7
Currently insured CSHCN whose insurance is adequate	<b>73.5</b>	65.7
Children are screened early and continuously for special health care needs	<b>86.2</b>	78.6
Community-based services are organized so families can use them easily	<b>69.4</b>	65.1
CSHCN whose families had no difficulties or delays receiving services	<b>70.1</b>	65.9
CSHCN whose families are sometimes or never frustrated in obtaining services	<b>92.3</b>	90.2
Youth with special health care needs receive the services necessary to make transitions to adult health care	<b>40.0</b>	40.0
<b>Impact on the Family</b>		
CSHCN whose families pay \$1,000 or more out of pocket in medical expenses per year for the child	<b>16.9</b>	22.1
CSHCN whose conditions cause financial problems for the family	<b>16.5</b>	21.6
CSHCN whose families spend 11 or more hours per week providing or coordinating the child's health care	<b>11.8</b>	13.1
CSHCN whose conditions cause family members to cut back or stop working	<b>23.7</b>	25.0
CSHCN whose parents avoided changing jobs to maintain their child's health insurance	<b>16.2</b>	17.7

# Rhode Island

Estimated number of CSHCN: 39,170

All statistics are based on parental reports

Prevalence of CSHCN	State %	National %
Percent of children who have special health care needs	<b>17.3</b>	15.1
<b>Age</b>		
0–5 years	<b>10.1</b>	9.3
6–11 years	<b>20.1</b>	17.7
12–17 years	<b>21.1</b>	18.4
<b>Sex</b>		
Male	<b>19.8</b>	17.4
Female	<b>14.6</b>	12.7
<b>Poverty Level</b>		
0–99% FPL	<b>17.3</b>	16.0
100–199% FPL	<b>22.8</b>	15.4
200–399% FPL	<b>17.6</b>	14.5
400% FPL or more	<b>17.0</b>	14.7
<b>Hispanic Origin and Race</b>		
Non-Hispanic	<b>17.6</b>	16.2
White	<b>17.8</b>	16.3
Black	<b>13.9</b>	17.5
Asian	*	8.0
American Indian/Alaska Native	*	13.5
Native Hawaiian/Pacific Islander	*	12.3
Multiple races	*	17.9
Hispanic	<b>15.9</b>	11.2
Spanish language household	<b>12.9</b>	8.2
English language household	<b>20.0</b>	14.4

*\*Due to the small size of this group in the State population, data have been suppressed to protect respondents' confidentiality.*

Indicator	State %	National %
<b>Child Health</b>		
CSHCN whose conditions consistently affect their activities, often a great deal	<b>26.1</b>	27.1
CSHCN with 11 or more days of school absences due to illness	<b>15.1</b>	15.5
<b>Core System Outcomes</b>		
CSHCN whose families partner in decision making regarding their child's health	<b>75.5</b>	70.3
CSHCN receive coordinated, ongoing, comprehensive care within a medical home	<b>44.0</b>	43.0
CSHCN with a usual source of care when sick	<b>91.9</b>	90.5
CSHCN with a personal doctor or nurse	<b>93.4</b>	93.1
CSHCN who receive family-centered care	<b>65.9</b>	64.6
Families of CSHCN have adequate private and/or public insurance to pay for the needed services	<b>65.0</b>	60.6
CSHCN with insurance for the entire past year	<b>93.3</b>	90.7
Currently insured CSHCN whose insurance is adequate	<b>68.7</b>	65.7
Children are screened early and continuously for special health care needs	<b>87.7</b>	78.6
Community-based services are organized so families can use them easily	<b>71.2</b>	65.1
CSHCN whose families had no difficulties or delays receiving services	<b>71.5</b>	65.9
CSHCN whose families are sometimes or never frustrated in obtaining services	<b>91.6</b>	90.2
Youth with special health care needs receive the services necessary to make transitions to adult health care	<b>43.7</b>	40.0
<b>Impact on the Family</b>		
CSHCN whose families pay \$1,000 or more out of pocket in medical expenses per year for the child	<b>16.8</b>	22.1
CSHCN whose conditions cause financial problems for the family	<b>14.7</b>	21.6
CSHCN whose families spend 11 or more hours per week providing or coordinating the child's health care	<b>11.3</b>	13.1
CSHCN whose conditions cause family members to cut back or stop working	<b>25.6</b>	25.0
CSHCN whose parents avoided changing jobs to maintain their child's health insurance	<b>15.0</b>	17.7

# South Carolina

Estimated number of CSHCN: 177,157

All statistics are based on parental reports

Prevalence of CSHCN	State %	National %
Percent of children who have special health care needs	<b>16.5</b>	15.1
<b>Age</b>		
0–5 years	<b>10.4</b>	9.3
6–11 years	<b>18.4</b>	17.7
12–17 years	<b>20.9</b>	18.4
<b>Sex</b>		
Male	<b>18.2</b>	17.4
Female	<b>14.8</b>	12.7
<b>Poverty Level</b>		
0–99% FPL	<b>16.5</b>	16.0
100–199% FPL	<b>17.8</b>	15.4
200–399% FPL	<b>18.7</b>	14.5
400% FPL or more	<b>14.5</b>	14.7
<b>Hispanic Origin and Race</b>		
Non-Hispanic	<b>17.2</b>	16.2
White	<b>17.5</b>	16.3
Black	<b>16.2</b>	17.5
Asian	*	8.0
American Indian/Alaska Native	*	13.5
Native Hawaiian/Pacific Islander	*	12.3
Multiple races	*	17.9
Hispanic	<b>7.5</b>	11.2
Spanish language household	*	8.2
English language household	<b>12.7</b>	14.4

*\*Due to the small size of this group in the State population, data have been suppressed to protect respondents' confidentiality.*

Indicator	State %	National %
<b>Child Health</b>		
CSHCN whose conditions consistently affect their activities, often a great deal	<b>27.4</b>	27.1
CSHCN with 11 or more days of school absences due to illness	<b>14.1</b>	15.5
<b>Core System Outcomes</b>		
CSHCN whose families partner in decision making regarding their child's health	<b>73.6</b>	70.3
CSHCN receive coordinated, ongoing, comprehensive care within a medical home	<b>45.3</b>	43.0
CSHCN with a usual source of care when sick	<b>91.5</b>	90.5
CSHCN with a personal doctor or nurse	<b>92.1</b>	93.1
CSHCN who receive family-centered care	<b>64.6</b>	64.6
Families of CSHCN have adequate private and/or public insurance to pay for the needed services	<b>54.1</b>	60.6
CSHCN with insurance for the entire past year	<b>86.6</b>	90.7
Currently insured CSHCN whose insurance is adequate	<b>61.3</b>	65.7
Children are screened early and continuously for special health care needs	<b>79.9</b>	78.6
Community-based services are organized so families can use them easily	<b>63.9</b>	65.1
CSHCN whose families had no difficulties or delays receiving services	<b>64.0</b>	65.9
CSHCN whose families are sometimes or never frustrated in obtaining services	<b>89.6</b>	90.2
Youth with special health care needs receive the services necessary to make transitions to adult health care	<b>41.0</b>	40.0
<b>Impact on the Family</b>		
CSHCN whose families pay \$1,000 or more out of pocket in medical expenses per year for the child	<b>20.7</b>	22.1
CSHCN whose conditions cause financial problems for the family	<b>22.4</b>	21.6
CSHCN whose families spend 11 or more hours per week providing or coordinating the child's health care	<b>12.2</b>	13.1
CSHCN whose conditions cause family members to cut back or stop working	<b>24.7</b>	25.0
CSHCN whose parents avoided changing jobs to maintain their child's health insurance	<b>17.0</b>	17.7

# South Dakota

Estimated number of CSHCN: 24,415

All statistics are based on parental reports

Prevalence of CSHCN	State %	National %
Percent of children who have special health care needs	<b>12.5</b>	15.1
<b>Age</b>		
0–5 years	<b>6.9</b>	9.3
6–11 years	<b>14.5</b>	17.7
12–17 years	<b>16.6</b>	18.4
<b>Sex</b>		
Male	<b>14.5</b>	17.4
Female	<b>10.5</b>	12.7
<b>Poverty Level</b>		
0–99% FPL	<b>12.5</b>	16.0
100–199% FPL	<b>16.1</b>	15.4
200–399% FPL	<b>15.4</b>	14.5
400% FPL or more	<b>9.4</b>	14.7
<b>Hispanic Origin and Race</b>		
Non-Hispanic	<b>12.5</b>	16.2
White	<b>12.6</b>	16.3
Black	<b>**</b>	17.5
Asian	<b>*</b>	8.0
American Indian/Alaska Native	<b>10.6</b>	13.5
Native Hawaiian/Pacific Islander	<b>*</b>	12.3
Multiple races	<b>*</b>	17.9
Hispanic	<b>11.9</b>	11.2
Spanish language household	<b>*</b>	8.2
English language household	<b>11.2</b>	14.4

*\*Due to the small size of this group in the State population, data have been suppressed to protect respondents' confidentiality.*

*\*\*Estimate suppressed as it does not meet the standard for reliability or precision.*

Indicator	State %	National %
<b>Child Health</b>		
CSHCN whose conditions consistently affect their activities, often a great deal	<b>30.3</b>	27.1
CSHCN with 11 or more days of school absences due to illness	<b>19.0</b>	15.5
<b>Core System Outcomes</b>		
CSHCN whose families partner in decision making regarding their child's health	<b>69.7</b>	70.3
CSHCN receive coordinated, ongoing, comprehensive care within a medical home	<b>42.2</b>	43.0
CSHCN with a usual source of care when sick	<b>88.5</b>	90.5
CSHCN with a personal doctor or nurse	<b>95.1</b>	93.1
CSHCN who receive family-centered care	<b>61.7</b>	64.6
Families of CSHCN have adequate private and/or public insurance to pay for the needed services	<b>62.0</b>	60.6
CSHCN with insurance for the entire past year	<b>92.9</b>	90.7
Currently insured CSHCN whose insurance is adequate	<b>65.4</b>	65.7
Children are screened early and continuously for special health care needs	<b>64.9</b>	78.6
Community-based services are organized so families can use them easily	<b>64.9</b>	65.1
CSHCN whose families had no difficulties or delays receiving services	<b>65.5</b>	65.9
CSHCN whose families are sometimes or never frustrated in obtaining services	<b>90.7</b>	90.2
Youth with special health care needs receive the services necessary to make transitions to adult health care	<b>48.3</b>	40.0
<b>Impact on the Family</b>		
CSHCN whose families pay \$1,000 or more out of pocket in medical expenses per year for the child	<b>25.9</b>	22.1
CSHCN whose conditions cause financial problems for the family	<b>27.3</b>	21.6
CSHCN whose families spend 11 or more hours per week providing or coordinating the child's health care	<b>14.2</b>	13.1
CSHCN whose conditions cause family members to cut back or stop working	<b>26.2</b>	25.0
CSHCN whose parents avoided changing jobs to maintain their child's health insurance	<b>18.1</b>	17.7

# Tennessee

Estimated number of CSHCN: 255,692

All statistics are based on parental reports

Prevalence of CSHCN	State %	National %
Percent of children who have special health care needs	<b>17.2</b>	15.1
<b>Age</b>		
0–5 years	<b>10.7</b>	9.3
6–11 years	<b>20.8</b>	17.7
12–17 years	<b>20.3</b>	18.4
<b>Sex</b>		
Male	<b>20.0</b>	17.4
Female	<b>14.3</b>	12.7
<b>Poverty Level</b>		
0–99% FPL	<b>17.2</b>	16.0
100–199% FPL	<b>20.6</b>	15.4
200–399% FPL	<b>17.9</b>	14.5
400% FPL or more	<b>14.7</b>	14.7
<b>Hispanic Origin and Race</b>		
Non-Hispanic	<b>17.4</b>	16.2
White	<b>16.8</b>	16.3
Black	<b>18.2</b>	17.5
Asian	*	8.0
American Indian/Alaska Native	*	13.5
Native Hawaiian/Pacific Islander	*	12.3
Multiple races	*	17.9
Hispanic	<b>14.4</b>	11.2
Spanish language household	<b>8.7</b>	8.2
English language household	<b>22.1</b>	14.4

*\*Due to the small size of this group in the State population, data have been suppressed to protect respondents' confidentiality.*

Indicator	State %	National %
<b>Child Health</b>		
CSHCN whose conditions consistently affect their activities, often a great deal	<b>28.0</b>	27.1
CSHCN with 11 or more days of school absences due to illness	<b>14.8</b>	15.5
<b>Core System Outcomes</b>		
CSHCN whose families partner in decision making regarding their child's health	<b>72.3</b>	70.3
CSHCN receive coordinated, ongoing, comprehensive care within a medical home	<b>45.9</b>	43.0
CSHCN with a usual source of care when sick	<b>88.9</b>	90.5
CSHCN with a personal doctor or nurse	<b>90.9</b>	93.1
CSHCN who receive family-centered care	<b>67.5</b>	64.6
Families of CSHCN have adequate private and/or public insurance to pay for the needed services	<b>70.4</b>	60.6
CSHCN with insurance for the entire past year	<b>94.9</b>	90.7
Currently insured CSHCN whose insurance is adequate	<b>74.1</b>	65.7
Children are screened early and continuously for special health care needs	<b>79.1</b>	78.6
Community-based services are organized so families can use them easily	<b>71.5</b>	65.1
CSHCN whose families had no difficulties or delays receiving services	<b>72.6</b>	65.9
CSHCN whose families are sometimes or never frustrated in obtaining services	<b>92.6</b>	90.2
Youth with special health care needs receive the services necessary to make transitions to adult health care	<b>41.8</b>	40.0
<b>Impact on the Family</b>		
CSHCN whose families pay \$1,000 or more out of pocket in medical expenses per year for the child	<b>22.0</b>	22.1
CSHCN whose conditions cause financial problems for the family	<b>20.1</b>	21.6
CSHCN whose families spend 11 or more hours per week providing or coordinating the child's health care	<b>16.4</b>	13.1
CSHCN whose conditions cause family members to cut back or stop working	<b>22.9</b>	25.0
CSHCN whose parents avoided changing jobs to maintain their child's health insurance	<b>15.9</b>	17.7



# Texas

Estimated number of CSHCN: 919,876

All statistics are based on parental reports

Prevalence of CSHCN	State %	National %
Percent of children who have special health care needs	<b>13.4</b>	15.1
<b>Age</b>		
0–5 years	<b>9.4</b>	9.3
6–11 years	<b>16.9</b>	17.7
12–17 years	<b>14.2</b>	18.4
<b>Sex</b>		
Male	<b>15.3</b>	17.4
Female	<b>11.4</b>	12.7
<b>Poverty Level</b>		
0–99% FPL	<b>13.4</b>	16.0
100–199% FPL	<b>11.5</b>	15.4
200–399% FPL	<b>14.3</b>	14.5
400% FPL or more	<b>13.4</b>	14.7
<b>Hispanic Origin and Race</b>		
Non-Hispanic	<b>15.7</b>	16.2
White	<b>16.2</b>	16.3
Black	<b>17.9</b>	17.5
Asian	*	8.0
American Indian/Alaska Native	*	13.5
Native Hawaiian/Pacific Islander	*	12.3
Multiple races	*	17.9
Hispanic	<b>10.7</b>	11.2
Spanish language household	<b>7.4</b>	8.2
English language household	<b>14.1</b>	14.4

*\*Due to the small size of this group in the State population, data have been suppressed to protect respondents' confidentiality.*

Indicator	State %	National %
<b>Child Health</b>		
CSHCN whose conditions consistently affect their activities, often a great deal	<b>27.2</b>	27.1
CSHCN with 11 or more days of school absences due to illness	<b>15.5</b>	15.5
<b>Core System Outcomes</b>		
CSHCN whose families partner in decision making regarding their child's health	<b>70.3</b>	70.3
CSHCN receive coordinated, ongoing, comprehensive care within a medical home	<b>40.1</b>	43.0
CSHCN with a usual source of care when sick	<b>88.4</b>	90.5
CSHCN with a personal doctor or nurse	<b>94.4</b>	93.1
CSHCN who receive family-centered care	<b>62.2</b>	64.6
Families of CSHCN have adequate private and/or public insurance to pay for the needed services	<b>57.9</b>	60.6
CSHCN with insurance for the entire past year	<b>84.4</b>	90.7
Currently insured CSHCN whose insurance is adequate	<b>66.0</b>	65.7
Children are screened early and continuously for special health care needs	<b>76.8</b>	78.6
Community-based services are organized so families can use them easily	<b>56.6</b>	65.1
CSHCN whose families had no difficulties or delays receiving services	<b>58.0</b>	65.9
CSHCN whose families are sometimes or never frustrated in obtaining services	<b>88.8</b>	90.2
Youth with special health care needs receive the services necessary to make transitions to adult health care	<b>35.4</b>	40.0
<b>Impact on the Family</b>		
CSHCN whose families pay \$1,000 or more out of pocket in medical expenses per year for the child	<b>23.9</b>	22.1
CSHCN whose conditions cause financial problems for the family	<b>24.2</b>	21.6
CSHCN whose families spend 11 or more hours per week providing or coordinating the child's health care	<b>14.8</b>	13.1
CSHCN whose conditions cause family members to cut back or stop working	<b>27.1</b>	25.0
CSHCN whose parents avoided changing jobs to maintain their child's health insurance	<b>17.2</b>	17.7

# Utah

Estimated number of CSHCN: 112,278

All statistics are based on parental reports

Prevalence of CSHCN	State %	National %
Percent of children who have special health care needs	<b>13.0</b>	15.1
<b>Age</b>		
0–5 years	<b>7.9</b>	9.3
6–11 years	<b>14.5</b>	17.7
12–17 years	<b>17.6</b>	18.4
<b>Sex</b>		
Male	<b>14.2</b>	17.4
Female	<b>11.7</b>	12.7
<b>Poverty Level</b>		
0–99% FPL	<b>13.0</b>	16.0
100–199% FPL	<b>13.0</b>	15.4
200–399% FPL	<b>12.9</b>	14.5
400% FPL or more	<b>12.1</b>	14.7
<b>Hispanic Origin and Race</b>		
Non-Hispanic	<b>13.1</b>	16.2
White	<b>12.7</b>	16.3
Black	<b>25.8</b>	17.5
Asian	*	8.0
American Indian/Alaska Native	*	13.5
Native Hawaiian/Pacific Islander	*	12.3
Multiple races	*	17.9
Hispanic	<b>12.1</b>	11.2
Spanish language household	<b>6.0</b>	8.2
English language household	<b>17.9</b>	14.4

*\*Due to the small size of this group in the State population, data have been suppressed to protect respondents' confidentiality.*

Indicator	State %	National %
<b>Child Health</b>		
CSHCN whose conditions consistently affect their activities, often a great deal	<b>28.8</b>	27.1
CSHCN with 11 or more days of school absences due to illness	<b>17.3</b>	15.5
<b>Core System Outcomes</b>		
CSHCN whose families partner in decision making regarding their child's health	<b>71.5</b>	70.3
CSHCN receive coordinated, ongoing, comprehensive care within a medical home	<b>46.2</b>	43.0
CSHCN with a usual source of care when sick	<b>89.5</b>	90.5
CSHCN with a personal doctor or nurse	<b>94.3</b>	93.1
CSHCN who receive family-centered care	<b>68.7</b>	64.6
Families of CSHCN have adequate private and/or public insurance to pay for the needed services	<b>55.9</b>	60.6
CSHCN with insurance for the entire past year	<b>87.0</b>	90.7
Currently insured CSHCN whose insurance is adequate	<b>62.3</b>	65.7
Children are screened early and continuously for special health care needs	<b>68.6</b>	78.6
Community-based services are organized so families can use them easily	<b>62.2</b>	65.1
CSHCN whose families had no difficulties or delays receiving services	<b>63.5</b>	65.9
CSHCN whose families are sometimes or never frustrated in obtaining services	<b>90.4</b>	90.2
Youth with special health care needs receive the services necessary to make transitions to adult health care	<b>49.3</b>	40.0
<b>Impact on the Family</b>		
CSHCN whose families pay \$1,000 or more out of pocket in medical expenses per year for the child	<b>34.3</b>	22.1
CSHCN whose conditions cause financial problems for the family	<b>28.3</b>	21.6
CSHCN whose families spend 11 or more hours per week providing or coordinating the child's health care	<b>14.3</b>	13.1
CSHCN whose conditions cause family members to cut back or stop working	<b>25.5</b>	25.0
CSHCN whose parents avoided changing jobs to maintain their child's health insurance	<b>27.1</b>	17.7

# Vermont

Estimated number of CSHCN: 21,790

All statistics are based on parental reports

Prevalence of CSHCN	State %	National %
Percent of children who have special health care needs	<b>17.1</b>	15.1
<b>Age</b>		
0–5 years	<b>9.3</b>	9.3
6–11 years	<b>19.4</b>	17.7
12–17 years	<b>21.3</b>	18.4
<b>Sex</b>		
Male	<b>19.6</b>	17.4
Female	<b>14.7</b>	12.7
<b>Poverty Level</b>		
0–99% FPL	<b>17.1</b>	16.0
100–199% FPL	<b>27.5</b>	15.4
200–399% FPL	<b>21.0</b>	14.5
400% FPL or more	<b>15.1</b>	14.7
<b>Hispanic Origin and Race</b>		
Non-Hispanic	<b>17.0</b>	16.2
White	<b>16.6</b>	16.3
Black	<b>34.2</b>	17.5
Asian	*	8.0
American Indian/Alaska Native	*	13.5
Native Hawaiian/Pacific Islander	*	12.3
Multiple races	*	17.9
Hispanic	<b>21.5</b>	11.2
Spanish language household	*	8.2
English language household	<b>22.9</b>	14.4

*\*Due to the small size of this group in the State population, data have been suppressed to protect respondents' confidentiality.*

Indicator	State %	National %
<b>Child Health</b>		
CSHCN whose conditions consistently affect their activities, often a great deal	<b>27.8</b>	27.1
CSHCN with 11 or more days of school absences due to illness	<b>13.0</b>	15.5
<b>Core System Outcomes</b>		
CSHCN whose families partner in decision making regarding their child's health	<b>75.4</b>	70.3
CSHCN receive coordinated, ongoing, comprehensive care within a medical home	<b>44.3</b>	43.0
CSHCN with a usual source of care when sick	<b>89.8</b>	90.5
CSHCN with a personal doctor or nurse	<b>94.9</b>	93.1
CSHCN who receive family-centered care	<b>68.0</b>	64.6
Families of CSHCN have adequate private and/or public insurance to pay for the needed services	<b>68.9</b>	60.6
CSHCN with insurance for the entire past year	<b>94.0</b>	90.7
Currently insured CSHCN whose insurance is adequate	<b>72.4</b>	65.7
Children are screened early and continuously for special health care needs	<b>86.8</b>	78.6
Community-based services are organized so families can use them easily	<b>70.3</b>	65.1
CSHCN whose families had no difficulties or delays receiving services	<b>70.3</b>	65.9
CSHCN whose families are sometimes or never frustrated in obtaining services	<b>92.3</b>	90.2
Youth with special health care needs receive the services necessary to make transitions to adult health care	<b>51.8</b>	40.0
<b>Impact on the Family</b>		
CSHCN whose families pay \$1,000 or more out of pocket in medical expenses per year for the child	<b>20.2</b>	22.1
CSHCN whose conditions cause financial problems for the family	<b>17.3</b>	21.6
CSHCN whose families spend 11 or more hours per week providing or coordinating the child's health care	<b>10.2</b>	13.1
CSHCN whose conditions cause family members to cut back or stop working	<b>27.0</b>	25.0
CSHCN whose parents avoided changing jobs to maintain their child's health insurance	<b>15.5</b>	17.7

# Virginia

Estimated number of CSHCN: 296,668

All statistics are based on parental reports

Prevalence of CSHCN	State %	National %
Percent of children who have special health care needs	<b>16.1</b>	15.1
<b>Age</b>		
0–5 years	<b>10.5</b>	9.3
6–11 years	<b>17.5</b>	17.7
12–17 years	<b>20.5</b>	18.4
<b>Sex</b>		
Male	<b>18.2</b>	17.4
Female	<b>14.0</b>	12.7
<b>Poverty Level</b>		
0–99% FPL	<b>16.1</b>	16.0
100–199% FPL	<b>22.0</b>	15.4
200–399% FPL	<b>16.2</b>	14.5
400% FPL or more	<b>14.8</b>	14.7
<b>Hispanic Origin and Race</b>		
Non-Hispanic	<b>16.7</b>	16.2
White	<b>16.7</b>	16.3
Black	<b>18.3</b>	17.5
Asian	<b>10.5</b>	8.0
American Indian/Alaska Native	*	13.5
Native Hawaiian/Pacific Islander	*	12.3
Multiple races	*	17.9
Hispanic	<b>11.0</b>	11.2
Spanish language household	<b>7.8</b>	8.2
English language household	<b>14.5</b>	14.4

*\*Due to the small size of this group in the State population, data have been suppressed to protect respondents' confidentiality.*

Indicator	State %	National %
<b>Child Health</b>		
CSHCN whose conditions consistently affect their activities, often a great deal	<b>26.8</b>	27.1
CSHCN with 11 or more days of school absences due to illness	<b>18.2</b>	15.5
<b>Core System Outcomes</b>		
CSHCN whose families partner in decision making regarding their child's health	<b>77.1</b>	70.3
CSHCN receive coordinated, ongoing, comprehensive care within a medical home	<b>42.4</b>	43.0
CSHCN with a usual source of care when sick	<b>93.4</b>	90.5
CSHCN with a personal doctor or nurse	<b>93.7</b>	93.1
CSHCN who receive family-centered care	<b>65.7</b>	64.6
Families of CSHCN have adequate private and/or public insurance to pay for the needed services	<b>65.2</b>	60.6
CSHCN with insurance for the entire past year	<b>94.3</b>	90.7
Currently insured CSHCN whose insurance is adequate	<b>68.9</b>	65.7
Children are screened early and continuously for special health care needs	<b>76.7</b>	78.6
Community-based services are organized so families can use them easily	<b>67.0</b>	65.1
CSHCN whose families had no difficulties or delays receiving services	<b>67.5</b>	65.9
CSHCN whose families are sometimes or never frustrated in obtaining services	<b>92.3</b>	90.2
Youth with special health care needs receive the services necessary to make transitions to adult health care	<b>44.9</b>	40.0
<b>Impact on the Family</b>		
CSHCN whose families pay \$1,000 or more out of pocket in medical expenses per year for the child	<b>23.2</b>	22.1
CSHCN whose conditions cause financial problems for the family	<b>19.5</b>	21.6
CSHCN whose families spend 11 or more hours per week providing or coordinating the child's health care	<b>11.0</b>	13.1
CSHCN whose conditions cause family members to cut back or stop working	<b>22.7</b>	25.0
CSHCN whose parents avoided changing jobs to maintain their child's health insurance	<b>18.6</b>	17.7

# Washington

Estimated number of CSHCN: 235,920

All statistics are based on parental reports

Prevalence of CSHCN	State %	National %
Percent of children who have special health care needs	<b>15.0</b>	15.1
<b>Age</b>		
0–5 years	<b>8.1</b>	9.3
6–11 years	<b>17.6</b>	17.7
12–17 years	<b>19.5</b>	18.4
<b>Sex</b>		
Male	<b>16.9</b>	17.4
Female	<b>13.2</b>	12.7
<b>Poverty Level</b>		
0–99% FPL	<b>15.0</b>	16.0
100–199% FPL	<b>15.6</b>	15.4
200–399% FPL	<b>14.9</b>	14.5
400% FPL or more	<b>14.8</b>	14.7
<b>Hispanic Origin and Race</b>		
Non-Hispanic	<b>16.0</b>	16.2
White	<b>16.2</b>	16.3
Black	<b>14.2</b>	17.5
Asian	<b>15.0</b>	8.0
American Indian/Alaska Native	*	13.5
Native Hawaiian/Pacific Islander	*	12.3
Multiple races	*	17.9
Hispanic	<b>10.7</b>	11.2
Spanish language household	<b>7.4</b>	8.2
English language household	<b>15.5</b>	14.4

*\*Due to the small size of this group in the State population, data have been suppressed to protect respondents' confidentiality.*

Indicator	State %	National %
<b>Child Health</b>		
CSHCN whose conditions consistently affect their activities, often a great deal	<b>27.6</b>	27.1
CSHCN with 11 or more days of school absences due to illness	<b>16.5</b>	15.5
<b>Core System Outcomes</b>		
CSHCN whose families partner in decision making regarding their child's health	<b>72.8</b>	70.3
CSHCN receive coordinated, ongoing, comprehensive care within a medical home	<b>45.5</b>	43.0
CSHCN with a usual source of care when sick	<b>91.8</b>	90.5
CSHCN with a personal doctor or nurse	<b>92.8</b>	93.1
CSHCN who receive family-centered care	<b>69.8</b>	64.6
Families of CSHCN have adequate private and/or public insurance to pay for the needed services	<b>65.0</b>	60.6
CSHCN with insurance for the entire past year	<b>93.7</b>	90.7
Currently insured CSHCN whose insurance is adequate	<b>68.2</b>	65.7
Children are screened early and continuously for special health care needs	<b>80.7</b>	78.6
Community-based services are organized so families can use them easily	<b>62.6</b>	65.1
CSHCN whose families had no difficulties or delays receiving services	<b>64.4</b>	65.9
CSHCN whose families are sometimes or never frustrated in obtaining services	<b>91.2</b>	90.2
Youth with special health care needs receive the services necessary to make transitions to adult health care	<b>41.7</b>	40.0
<b>Impact on the Family</b>		
CSHCN whose families pay \$1,000 or more out of pocket in medical expenses per year for the child	<b>25.5</b>	22.1
CSHCN whose conditions cause financial problems for the family	<b>21.3</b>	21.6
CSHCN whose families spend 11 or more hours per week providing or coordinating the child's health care	<b>9.4</b>	13.1
CSHCN whose conditions cause family members to cut back or stop working	<b>24.7</b>	25.0
CSHCN whose parents avoided changing jobs to maintain their child's health insurance	<b>19.7</b>	17.7

# West Virginia

Estimated number of CSHCN: 70,609

All statistics are based on parental reports

Prevalence of CSHCN	State %	National %
Percent of children who have special health care needs	<b>18.5</b>	15.1
<b>Age</b>		
0–5 years	<b>11.1</b>	9.3
6–11 years	<b>23.1</b>	17.7
12–17 years	<b>21.3</b>	18.4
<b>Sex</b>		
Male	<b>21.0</b>	17.4
Female	<b>15.9</b>	12.7
<b>Poverty Level</b>		
0–99% FPL	<b>18.5</b>	16.0
100–199% FPL	<b>25.1</b>	15.4
200–399% FPL	<b>20.0</b>	14.5
400% FPL or more	<b>15.0</b>	14.7
<b>Hispanic Origin and Race</b>		
Non-Hispanic	<b>18.5</b>	16.2
White	<b>18.1</b>	16.3
Black	<b>21.5</b>	17.5
Asian	*	8.0
American Indian/Alaska Native	*	13.5
Native Hawaiian/Pacific Islander	*	12.3
Multiple races	*	17.9
Hispanic	<b>18.1</b>	11.2
Spanish language household	*	8.2
English language household	<b>19.5</b>	14.4

*\*Due to the small size of this group in the State population, data have been suppressed to protect respondents' confidentiality.*

Indicator	State %	National %
<b>Child Health</b>		
CSHCN whose conditions consistently affect their activities, often a great deal	<b>28.0</b>	27.1
CSHCN with 11 or more days of school absences due to illness	<b>23.5</b>	15.5
<b>Core System Outcomes</b>		
CSHCN whose families partner in decision making regarding their child's health	<b>72.0</b>	70.3
CSHCN receive coordinated, ongoing, comprehensive care within a medical home	<b>46.7</b>	43.0
CSHCN with a usual source of care when sick	<b>93.3</b>	90.5
CSHCN with a personal doctor or nurse	<b>91.8</b>	93.1
CSHCN who receive family-centered care	<b>68.5</b>	64.6
Families of CSHCN have adequate private and/or public insurance to pay for the needed services	<b>62.0</b>	60.6
CSHCN with insurance for the entire past year	<b>91.0</b>	90.7
Currently insured CSHCN whose insurance is adequate	<b>67.4</b>	65.7
Children are screened early and continuously for special health care needs	<b>82.4</b>	78.6
Community-based services are organized so families can use them easily	<b>66.6</b>	65.1
CSHCN whose families had no difficulties or delays receiving services	<b>66.6</b>	65.9
CSHCN whose families are sometimes or never frustrated in obtaining services	<b>91.1</b>	90.2
Youth with special health care needs receive the services necessary to make transitions to adult health care	<b>41.6</b>	40.0
<b>Impact on the Family</b>		
CSHCN whose families pay \$1,000 or more out of pocket in medical expenses per year for the child	<b>16.8</b>	22.1
CSHCN whose conditions cause financial problems for the family	<b>22.0</b>	21.6
CSHCN whose families spend 11 or more hours per week providing or coordinating the child's health care	<b>15.4</b>	13.1
CSHCN whose conditions cause family members to cut back or stop working	<b>22.3</b>	25.0
CSHCN whose parents avoided changing jobs to maintain their child's health insurance	<b>14.5</b>	17.7



# Wisconsin

Estimated number of CSHCN: 201,529

All statistics are based on parental reports

Prevalence of CSHCN	State %	National %
Percent of children who have special health care needs	<b>15.5</b>	15.1
<b>Age</b>		
0–5 years	<b>7.1</b>	9.3
6–11 years	<b>17.7</b>	17.7
12–17 years	<b>21.3</b>	18.4
<b>Sex</b>		
Male	<b>17.9</b>	17.4
Female	<b>12.9</b>	12.7
<b>Poverty Level</b>		
0–99% FPL	<b>15.5</b>	16.0
100–199% FPL	<b>16.6</b>	15.4
200–399% FPL	<b>15.3</b>	14.5
400% FPL or more	<b>15.6</b>	14.7
<b>Hispanic Origin and Race</b>		
Non-Hispanic	<b>15.8</b>	16.2
White	<b>15.5</b>	16.3
Black	<b>21.2</b>	17.5
Asian	*	8.0
American Indian/Alaska Native	*	13.5
Native Hawaiian/Pacific Islander	*	12.3
Multiple races	*	17.9
Hispanic	<b>12.5</b>	11.2
Spanish language household	<b>8.5</b>	8.2
English language household	<b>16.4</b>	14.4

*\*Due to the small size of this group in the State population, data have been suppressed to protect respondents' confidentiality.*

Indicator	State %	National %
<b>Child Health</b>		
CSHCN whose conditions consistently affect their activities, often a great deal	<b>26.6</b>	27.1
CSHCN with 11 or more days of school absences due to illness	<b>16.5</b>	15.5
<b>Core System Outcomes</b>		
CSHCN whose families partner in decision making regarding their child's health	<b>74.4</b>	70.3
CSHCN receive coordinated, ongoing, comprehensive care within a medical home	<b>44.1</b>	43.0
CSHCN with a usual source of care when sick	<b>88.8</b>	90.5
CSHCN with a personal doctor or nurse	<b>96.4</b>	93.1
CSHCN who receive family-centered care	<b>67.1</b>	64.6
Families of CSHCN have adequate private and/or public insurance to pay for the needed services	<b>65.1</b>	60.6
CSHCN with insurance for the entire past year	<b>94.6</b>	90.7
Currently insured CSHCN whose insurance is adequate	<b>68.3</b>	65.7
Children are screened early and continuously for special health care needs	<b>76.9</b>	78.6
Community-based services are organized so families can use them easily	<b>64.6</b>	65.1
CSHCN whose families had no difficulties or delays receiving services	<b>65.7</b>	65.9
CSHCN whose families are sometimes or never frustrated in obtaining services	<b>90.8</b>	90.2
Youth with special health care needs receive the services necessary to make transitions to adult health care	<b>44.4</b>	40.0
<b>Impact on the Family</b>		
CSHCN whose families pay \$1,000 or more out of pocket in medical expenses per year for the child	<b>24.4</b>	22.1
CSHCN whose conditions cause financial problems for the family	<b>18.4</b>	21.6
CSHCN whose families spend 11 or more hours per week providing or coordinating the child's health care	<b>11.0</b>	13.1
CSHCN whose conditions cause family members to cut back or stop working	<b>24.5</b>	25.0
CSHCN whose parents avoided changing jobs to maintain their child's health insurance	<b>17.7</b>	17.7

# Wyoming

Estimated number of CSHCN: 18,194

All statistics are based on parental reports

Prevalence of CSHCN	State %	National %
Percent of children who have special health care needs	<b>14.1</b>	15.1
<b>Age</b>		
0–5 years	<b>7.8</b>	9.3
6–11 years	<b>16.4</b>	17.7
12–17 years	<b>19.4</b>	18.4
<b>Sex</b>		
Male	<b>16.9</b>	17.4
Female	<b>10.9</b>	12.7
<b>Poverty Level</b>		
0–99% FPL	<b>14.1</b>	16.0
100–199% FPL	<b>15.0</b>	15.4
200–399% FPL	<b>17.9</b>	14.5
400% FPL or more	<b>12.8</b>	14.7
<b>Hispanic Origin and Race</b>		
Non-Hispanic	<b>14.6</b>	16.2
White	<b>14.1</b>	16.3
Black	<b>**</b>	17.5
Asian	<b>*</b>	8.0
American Indian/Alaska Native	<b>*</b>	13.5
Native Hawaiian/Pacific Islander	<b>*</b>	12.3
Multiple races	<b>*</b>	17.9
Hispanic	<b>10.7</b>	11.2
Spanish language household	<b>*</b>	8.2
English language household	<b>13.9</b>	14.4

*\*Due to the small size of this group in the State population, data have been suppressed to protect respondents' confidentiality.*

*\*\*Estimate suppressed as it does not meet the standard for reliability or precision.*

Indicator	State %	National %
<b>Child Health</b>		
CSHCN whose conditions consistently affect their activities, often a great deal	<b>28.5</b>	27.1
CSHCN with 11 or more days of school absences due to illness	<b>16.7</b>	15.5
<b>Core System Outcomes</b>		
CSHCN whose families partner in decision making regarding their child's health	<b>70.0</b>	70.3
CSHCN receive coordinated, ongoing, comprehensive care within a medical home	<b>44.6</b>	43.0
CSHCN with a usual source of care when sick	<b>90.0</b>	90.5
CSHCN with a personal doctor or nurse	<b>88.8</b>	93.1
CSHCN who receive family-centered care	<b>67.7</b>	64.6
Families of CSHCN have adequate private and/or public insurance to pay for the needed services	<b>58.2</b>	60.6
CSHCN with insurance for the entire past year	<b>88.2</b>	90.7
Currently insured CSHCN whose insurance is adequate	<b>66.1</b>	65.7
Children are screened early and continuously for special health care needs	<b>72.6</b>	78.6
Community-based services are organized so families can use them easily	<b>63.9</b>	65.1
CSHCN whose families had no difficulties or delays receiving services	<b>64.2</b>	65.9
CSHCN whose families are sometimes or never frustrated in obtaining services	<b>90.8</b>	90.2
Youth with special health care needs receive the services necessary to make transitions to adult health care	<b>47.4</b>	40.0
<b>Impact on the Family</b>		
CSHCN whose families pay \$1,000 or more out of pocket in medical expenses per year for the child	<b>31.0</b>	22.1
CSHCN whose conditions cause financial problems for the family	<b>23.3</b>	21.6
CSHCN whose families spend 11 or more hours per week providing or coordinating the child's health care	<b>14.8</b>	13.1
CSHCN whose conditions cause family members to cut back or stop working	<b>21.8</b>	25.0
CSHCN whose parents avoided changing jobs to maintain their child's health insurance	<b>17.6</b>	17.7